

Menesine ataskaita: 04.2013



	UBA Fortum Klaipeda						sugeneruota: 2.07.2013	
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc		
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.		
1.04	-	-	-	-	-	-		
2.04	-	-	-	-	-	-		
3.04	-	-	-	-	-	-		
4.04	-	-	-	-	-	-		
5.04	-	-	-	-	-	-		
6.04	-	-	-	-	-	-		
7.04	-	-	-	-	-	-		
8.04	-	-	-	-	-	-		
9.04	-	-	-	-	-	-		
10.04	-	-	-	-	-	-		
11.04	-	-	-	-	-	-		
12.04	-	-	-	-	-	-		
13.04	X	X	X	X	X	X		
14.04	X	X	X	X	X	X		
15.04	-	-	-	-	-	-		
16.04	14.280	12.134	X	X	X	X		
17.04	11.480	10.802	-	-	-	-		
18.04	14.509	11.555	-	-	-	-		
19.04	19.615	-	-	-	-	-		
20.04	17.866	-	-	-	-	-		
21.04	16.963	-	-	-	-	-		
22.04	11.225	9.121	0.264	15.388	0.061	7.946		
23.04	0.006	8.471	0.872	19.565	0.265	8.781		
24.04	9.695	9.910	0.966	42.956	0.358	20.691	D	
25.04	D 306.938	D 132.698	0.973	D 61.884	2.134	D 82.390	D	
26.04	X	X	X	X	X	X		
27.04	18.880	11.407	6.097	8.406	0.031	8.331		
28.04	18.618	10.629	6.357	6.465	0.005	8.503		
29.04	18.631	10.399	7.949	7.248	0.010	9.257		
30.04	18.368	10.039	10.115	7.270	0.322	7.868		
min	0.006	8.471	0.264	6.465	0.005	7.868		
max	D 306.938	D 132.698	10.115	D 61.884	2.134	D 82.390	D	
MMV	35.739	21.056	4.540	22.286	0.408	17.953		
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down								

Menesine ataskaita: 04.2013



	UBA Fortum Klaipeda						sugeneruota: 2.07.2013
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	m3/h	
1.04	-	-	-	-	-	-	-
2.04	-	-	-	-	-	-	-
3.04	-	-	-	-	-	-	-
4.04	-	-	-	-	-	-	-
5.04	-	-	-	-	-	-	-
6.04	-	-	-	-	-	-	-
7.04	-	-	-	-	-	-	-
8.04	-	-	-	-	-	-	-
9.04	-	-	-	-	-	-	-
10.04	-	-	-	-	-	-	-
11.04	-	-	-	-	-	-	-
12.04	-	-	-	-	-	-	-
13.04	X	X	X	X	X	X	X
14.04	X	X	X	X	X	X	X
15.04	-	-	-	-	-	-	-
16.04	X	X	X	X	X	X	13.194
17.04	-	-	-	-	-	-	12.569
18.04	-	-	-	-	-	-	14.667
19.04	-	-	-	-	-	-	16.850
20.04	-	-	-	-	-	-	16.474
21.04	-	-	-	-	-	-	16.178
22.04	0.411	0.000	D 125.307	0.437	X	X	16.215
23.04	0.285	0.000	97.212	0.343	X	X	16.048
24.04	0.561	0.000	D 152.172	0.555	X	X	17.010
25.04	D 13.870	0.000	D 318.373	6.581	X	D	77.099
26.04	X	X	X	X	0.406	X	56548.230
27.04	0.003	0.249	D 200.242	1.224	0.310	X	175934.45
28.04	0.005	0.063	198.615	1.053	0.266	X	167377.85
29.04	0.003	0.004	196.992	1.084	0.320	X	167850.20
30.04	0.001	0.000	153.001	1.033	0.201	D	73053200.
min	0.001	0.000	97.212	0.343	0.201	X	12.569
max	D 13.870	0.249	D 318.373	6.581	0.406	D	73053200.
MMV	1.678	0.049	183.153	1.487	0.325	X	5091950.5
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 04.2013



UBA Fortum Klaipeda		sugeneruota: 2.07.2013				
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc		
Diena	°C	mbar	Vol%	mbar		
1.04	-	-	-	-		
2.04	-	-	-	-		
3.04	-	-	-	-		
4.04	-	-	-	-		
5.04	-	-	-	-		
6.04	-	-	-	-		
7.04	-	-	-	-		
8.04	-	-	-	-		
9.04	-	-	-	-		
10.04	-	-	-	-		
11.04	-	-	-	-		
12.04	-	-	-	-		
13.04	X	X	X	X		
14.04	X	X	X	X		
15.04	-	-	-	-		
16.04	165.401	902.245	8.981	1021.924		
17.04	146.804	901.956	8.398	1018.217		
18.04	183.442	901.891	7.799	1013.862		
19.04	174.342	961.052	7.256	1014.327		
20.04	131.595	1017.538	8.212	1022.520		
21.04	150.293	1021.920	7.948	1026.315		
22.04	92.931	977.641	5.320	1017.117		
23.04	0.000	903.068	0.003	1010.006		
24.04	84.608	964.126	4.561	1014.524		
25.04	D 389.840	D 1211.045	D 103.492	D 1121.685		
26.04	244.380	1077.424	X	1008.588		
27.04	142.508	997.871	7.722	1003.203		
28.04	139.804	1006.557	8.182	1010.569		
29.04	139.266	1011.528	8.296	1014.523		
30.04	140.379	1011.834	7.878	1016.780		
min	0.000	901.891	0.003	1003.203		
max	D 389.840	D 1211.045	D 103.492	D 1121.685		
MMV	155.633	994.242	13.868	1022.359		
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						