

Menesine ataskaita: 05.2021



| | UAB Fortum Klaipeda | | | | | | sugeneruota: 1.06.2021 |
|--|-----------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|
| | KLAIP_L1 H2O Day_Conc | KLAIP_L1 CO2 Day_Conc | KLAIP_L1 CO Day_Conc | KLAIP_L1 SO2 Day_Conc | KLAIP_L1 NH3 Day_Conc | KLAIP_L1 HCL Day_Conc | |
| Diena | Vol% | Vol% | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | |
| 1.05 | 15.765 | 7.599 | 6.817 | 0.010 | 0.374 | 0.032 | |
| 2.05 | 15.540 | 7.518 | 5.574 | 0.000 | 0.221 | 0.034 | |
| 3.05 | 16.702 | 7.437 | 4.630 | 0.016 | 0.225 | 0.051 | |
| 4.05 | 16.451 | 7.427 | 3.589 | 0.136 | 0.236 | 0.058 | |
| 5.05 | 17.508 | 7.391 | 8.025 | 0.402 | 0.245 | 0.045 | |
| 6.05 | 16.998 | 7.386 | 8.174 | 0.228 | 0.220 | 0.035 | |
| 7.05 | 16.948 | 7.430 | 6.655 | 0.000 | 0.213 | 0.062 | |
| 8.05 | 17.713 | 7.457 | 5.004 | 0.000 | 0.217 | 0.022 | |
| 9.05 | 18.773 | 7.453 | 5.423 | 0.138 | 0.211 | 0.016 | |
| 10.05 | 17.688 | 7.443 | 5.170 | 0.136 | 0.259 | 0.020 | |
| 11.05 | 17.345 | 7.409 | 4.230 | 0.130 | 0.243 | 0.076 | |
| 12.05 | 17.769 | 7.415 | 3.939 | 0.000 | 0.260 | 0.051 | |
| 13.05 | 18.447 | 7.373 | 4.075 | 0.007 | 0.420 | 0.030 | |
| 14.05 | 17.853 | 7.371 | 6.368 | 0.095 | 0.361 | 0.033 | |
| 15.05 | 17.403 | 7.351 | 5.969 | 0.120 | 0.236 | 0.058 | |
| 16.05 | 19.056 | 7.348 | 4.751 | 0.006 | 0.296 | 0.454 | |
| 17.05 | 18.814 | 7.244 | 6.393 | 0.000 | 0.771 | 4.422 | |
| 18.05 | 17.989 | 7.315 | 5.721 | 0.000 | 0.729 | 4.316 | |
| 19.05 | 18.141 | 7.323 | 7.947 | 0.000 | 0.653 | 4.041 | |
| 20.05 | 17.038 | 7.422 | 4.289 | 0.000 | 0.186 | 0.046 | |
| 21.05 | 16.329 | 7.443 | 8.940 | 0.009 | 0.204 | 0.068 | |
| 22.05 | 16.987 | 7.384 | 7.067 | 0.000 | 0.214 | 0.078 | |
| 23.05 | 18.048 | 7.391 | 5.449 | 0.000 | 0.240 | 0.048 | |
| 24.05 | 17.913 | 7.365 | 6.896 | 0.002 | 0.226 | 0.040 | |
| 25.05 | 17.413 | 7.364 | 3.883 | 0.000 | 0.205 | 0.028 | |
| 26.05 | 18.131 | 7.395 | 3.999 | 0.000 | 0.209 | 0.040 | |
| 27.05 | 17.126 | 7.440 | 6.201 | 0.000 | 0.288 | 0.038 | |
| 28.05 | 17.368 | 7.491 | 7.153 | 0.000 | 0.322 | 0.042 | |
| 29.05 | 17.695 | 7.411 | 4.225 | 0.000 | 0.236 | 0.043 | |
| 30.05 | 19.178 | 7.383 | 3.368 | 0.000 | 0.191 | 0.045 | |
| 31.05 | 17.922 | 7.464 | 4.562 | 0.000 | 0.213 | 0.062 | |
| min | 15.540 | 7.244 | 3.368 | 0.000 | 0.186 | 0.016 | |
| max | 19.178 | 7.599 | 8.940 | 0.402 | 0.771 | 4.422 | |
| MMV | 17.550 | 7.408 | 5.629 | 0.046 | 0.294 | 0.466 | |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | | |

Menesine ataskaita: 05.2021



| | UAB Fortum Klaipeda sugeneruota: 1.06.2021 | | | | | |
|--|--|-----------------------------|-----------------------------|-----------------------------|--------------------------------|---------------------------------|
| | KLAIP_L1 HF Day_Conc | KLAIP_L1 CH4 Day_Conc | KLAIP_L1 NOx Day_Conc | KLAIP_L1 TOC Day_Conc | KLAIP_L1 DULKES Day_Conc | KLAIP_L1 SRAUTAS Day_Conc |
| Diena | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | Nm3/h |
| 1.05 | 0.026 | 0.000 | 131.899 | 0.066 | X | 222062.01 |
| 2.05 | 0.026 | 0.000 | 131.576 | 0.068 | X | 220685.62 |
| 3.05 | 0.030 | 0.000 | 131.655 | 0.062 | X | 222632.00 |
| 4.05 | 0.034 | 0.000 | 132.162 | 0.061 | 0.308 | 221915.31 |
| 5.05 | 0.038 | 0.000 | 131.497 | 0.098 | 0.306 | 225665.00 |
| 6.05 | 0.030 | 0.000 | 131.756 | 0.049 | 0.298 | 222421.25 |
| 7.05 | 0.029 | 0.000 | 132.095 | 0.045 | 0.291 | 223364.12 |
| 8.05 | 0.026 | 0.000 | 131.970 | 0.092 | 0.370 | 225165.85 |
| 9.05 | 0.034 | 0.000 | 131.109 | 0.097 | 0.366 | 229604.60 |
| 10.05 | 0.039 | 0.000 | 131.712 | 0.110 | 0.273 | 226741.12 |
| 11.05 | 0.040 | 0.000 | 131.904 | 0.148 | 0.320 | 225168.64 |
| 12.05 | 0.040 | 0.000 | 131.985 | 0.136 | 0.295 | 226153.32 |
| 13.05 | 0.041 | 0.000 | 131.518 | 0.225 | 0.344 | 227795.12 |
| 14.05 | 0.037 | 0.000 | 131.184 | 0.151 | 0.252 | 225473.79 |
| 15.05 | 0.033 | 0.000 | 132.204 | 0.086 | 0.215 | 223795.20 |
| 16.05 | 0.041 | 0.000 | 131.317 | 0.167 | 0.241 | 225582.75 |
| 17.05 | 0.046 | 0.000 | 134.768 | 0.155 | 0.341 | 209672.14 |
| 18.05 | 0.038 | 0.000 | 139.654 | 0.172 | 0.326 | 207527.31 |
| 19.05 | 0.039 | 0.002 | 139.355 | 0.236 | 0.261 | 209097.43 |
| 20.05 | 0.038 | 0.000 | 139.904 | 0.160 | 0.280 | 208595.75 |
| 21.05 | 0.035 | 0.000 | 139.890 | 0.118 | 0.354 | 205753.31 |
| 22.05 | 0.039 | 0.000 | 139.732 | 0.089 | 0.408 | 207976.76 |
| 23.05 | 0.043 | 0.000 | 139.850 | 0.169 | 0.303 | 209769.64 |
| 24.05 | 0.038 | 0.000 | 136.997 | 0.151 | 0.293 | 210335.64 |
| 25.05 | 0.032 | 0.000 | 135.878 | 0.094 | 0.354 | 208462.75 |
| 26.05 | 0.039 | 0.000 | 133.139 | 0.079 | 0.370 | 211951.10 |
| 27.05 | 0.038 | 0.000 | 131.633 | 0.104 | 0.267 | 209652.79 |
| 28.05 | 0.037 | 0.002 | 131.675 | 0.159 | 0.295 | 210421.56 |
| 29.05 | 0.035 | 0.000 | 131.853 | 0.120 | 0.338 | 210580.43 |
| 30.05 | 0.054 | 0.000 | 132.071 | 0.132 | 0.358 | 215601.23 |
| 31.05 | 0.041 | 0.000 | 129.834 | 0.137 | 0.252 | 212289.73 |
| min | 0.026 | 0.000 | 129.834 | 0.045 | 0.215 | 205753.31 |
| max | 0.054 | 0.002 | 139.904 | 0.236 | 0.408 | 229604.60 |
| MMV | 0.037 | 0.000 | 133.670 | 0.121 | 0.311 | 217481.18 |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | |

Menesine ataskaita: 05.2021



| | UAB Fortum Klaipeda | | | sugeneruota: 1.06.2021 | | |
|--|----------------------------------|----------------------------------|----------------------------|----------------------------------|----------------------------------|----------------------------------|
| | KLAIP_L1 Kamino_T Day_Conc | KLAIP_L1 Kamino_P Day_Conc | KLAIP_L1 O2 Day_Conc | KLAIP_L1 Atmosf_P Day_Conc | KLAIP_L1 Degimo_T Day_Conc | KLAIP_L1 CO_10Min Day_Conc |
| Diena | °C | mbar | Vol% | mbar | °C | Nm3/h |
| 1.05 | 55.506 | 1029.578 | 6.223 | 1014.557 | 1027.224 | 7.598 |
| 2.05 | 55.024 | 1024.975 | 6.180 | 1010.606 | 1019.793 | 6.187 |
| 3.05 | 56.552 | 1020.453 | 6.079 | 1005.552 | 1045.832 | 5.146 |
| 4.05 | 56.301 | 1021.006 | 6.226 | 1005.053 | 1047.505 | 3.997 |
| 5.05 | 57.472 | 1011.406 | 6.005 | 995.095 | 1027.553 | 8.975 |
| 6.05 | 56.764 | 1010.391 | 6.095 | 996.531 | 1015.871 | 9.103 |
| 7.05 | 56.894 | 1018.066 | 6.209 | 1002.941 | 1061.768 | 7.384 |
| 8.05 | 57.964 | 1026.998 | 6.018 | 1011.592 | 1086.359 | 5.563 |
| 9.05 | 59.255 | 1032.214 | 5.787 | 1015.153 | 1059.819 | 6.025 |
| 10.05 | 57.976 | 1030.517 | 6.009 | 1012.701 | 1042.030 | 5.750 |
| 11.05 | 57.567 | 1029.345 | 6.100 | 1012.354 | 1076.210 | 4.691 |
| 12.05 | 58.045 | 1026.181 | 6.011 | 1009.648 | 1072.727 | 4.372 |
| 13.05 | 58.753 | 1018.815 | 5.860 | 1004.113 | 1094.145 | 4.520 |
| 14.05 | 58.005 | 1014.981 | 5.932 | 1000.352 | 1025.322 | 7.092 |
| 15.05 | 57.524 | 1020.113 | 6.057 | 1004.674 | 1048.459 | 6.632 |
| 16.05 | 67.215 | 1020.310 | 5.716 | 1004.397 | 1077.556 | 5.284 |
| 17.05 | 137.788 | 1018.837 | 5.912 | 1002.416 | 1044.675 | 7.125 |
| 18.05 | 136.280 | 1017.854 | 6.077 | 1003.163 | 1024.765 | 6.364 |
| 19.05 | 128.238 | 1020.649 | 6.048 | 1005.738 | 1024.332 | 8.895 |
| 20.05 | 57.159 | 1024.535 | 6.366 | 1009.240 | 1063.693 | 4.767 |
| 21.05 | 56.209 | 1021.030 | 6.447 | 1005.768 | 993.450 | 9.926 |
| 22.05 | 57.028 | 1018.697 | 6.328 | 1002.314 | 1007.148 | 7.842 |
| 23.05 | 58.399 | 1021.524 | 6.099 | 1006.699 | 1044.205 | 6.046 |
| 24.05 | 58.387 | 1032.978 | 6.158 | 1016.263 | 1046.245 | 7.692 |
| 25.05 | 57.700 | 1026.805 | 6.238 | 1011.395 | 1038.878 | 4.318 |
| 26.05 | 58.522 | 1024.916 | 6.081 | 1009.197 | 1056.151 | 4.456 |
| 27.05 | 57.283 | 1025.746 | 6.343 | 1009.778 | 1043.478 | 6.901 |
| 28.05 | 57.685 | 1030.275 | 6.239 | 1014.167 | 1001.074 | 7.951 |
| 29.05 | 58.140 | 1032.672 | 6.175 | 1017.324 | 1029.355 | 4.682 |
| 30.05 | 59.911 | 1037.752 | 5.922 | 1021.853 | 1058.153 | 3.744 |
| 31.05 | 58.418 | 1037.088 | 6.234 | 1020.557 | 1060.950 | 5.081 |
| min | 55.024 | 1010.391 | 5.716 | 995.095 | 993.450 | 3.744 |
| max | 137.788 | 1037.752 | 6.447 | 1021.853 | 1094.145 | 9.926 |
| MMV | 65.289 | 1024.087 | 6.102 | 1008.426 | 1044.024 | 6.261 |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | |

Menesine ataskaita: 05.2021



| | UAB Fortum Klaipeda | | | | | | sugeneruota: 1.06.2021 |
|--|---------------------------------|---------------------------------|--------------------------------|---------------------------------|---------------------------------|------------------------------------|------------------------|
| | KLAIP_L1 SO2_97% Day_Conc | KLAIP_L1 HCL_97% Day_Conc | KLAIP_L1 HF_97% Day_Conc | KLAIP_L1 NOx_97% Day_Conc | KLAIP_L1 TOC_97% Day_Conc | KLAIP_L1 DULKES_97% Day_Conc | |
| Diena | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | |
| 1.05 | 0.012 | 0.053 | 0.043 | 164.874 | 0.095 | X | |
| 2.05 | 0.000 | 0.057 | 0.043 | 164.470 | 0.097 | X | |
| 3.05 | 0.020 | 0.086 | 0.051 | 164.568 | 0.088 | X | |
| 4.05 | 0.170 | 0.097 | 0.057 | 165.202 | 0.087 | 0.439 | |
| 5.05 | 0.502 | 0.075 | 0.064 | 164.371 | 0.139 | 0.437 | |
| 6.05 | 0.285 | 0.059 | 0.049 | 164.695 | 0.070 | 0.426 | |
| 7.05 | 0.000 | 0.104 | 0.048 | 165.119 | 0.064 | 0.416 | |
| 8.05 | 0.000 | 0.037 | 0.043 | 164.962 | 0.132 | 0.528 | |
| 9.05 | 0.172 | 0.027 | 0.057 | 163.887 | 0.139 | 0.523 | |
| 10.05 | 0.170 | 0.033 | 0.065 | 164.640 | 0.157 | 0.391 | |
| 11.05 | 0.163 | 0.127 | 0.066 | 164.880 | 0.212 | 0.458 | |
| 12.05 | 0.000 | 0.084 | 0.067 | 164.981 | 0.194 | 0.422 | |
| 13.05 | 0.009 | 0.051 | 0.068 | 164.398 | 0.322 | 0.491 | |
| 14.05 | 0.118 | 0.056 | 0.062 | 163.979 | 0.216 | 0.360 | |
| 15.05 | 0.150 | 0.097 | 0.056 | 165.254 | 0.123 | 0.307 | |
| 16.05 | 0.008 | 0.757 | 0.068 | 164.146 | 0.238 | 0.345 | |
| 17.05 | 0.000 | 7.370 | 0.077 | 168.459 | 0.222 | 0.487 | |
| 18.05 | 0.000 | 7.194 | 0.063 | 174.568 | 0.245 | 0.466 | |
| 19.05 | 0.000 | 6.736 | 0.066 | 174.193 | 0.338 | 0.372 | |
| 20.05 | 0.000 | 0.077 | 0.063 | 174.880 | 0.228 | 0.400 | |
| 21.05 | 0.011 | 0.114 | 0.058 | 174.862 | 0.168 | 0.505 | |
| 22.05 | 0.000 | 0.129 | 0.065 | 174.665 | 0.127 | 0.582 | |
| 23.05 | 0.000 | 0.080 | 0.071 | 174.812 | 0.241 | 0.434 | |
| 24.05 | 0.002 | 0.067 | 0.064 | 171.246 | 0.215 | 0.419 | |
| 25.05 | 0.000 | 0.047 | 0.053 | 169.847 | 0.134 | 0.506 | |
| 26.05 | 0.000 | 0.067 | 0.065 | 166.423 | 0.113 | 0.528 | |
| 27.05 | 0.000 | 0.064 | 0.063 | 164.541 | 0.148 | 0.382 | |
| 28.05 | 0.000 | 0.070 | 0.062 | 164.594 | 0.227 | 0.422 | |
| 29.05 | 0.000 | 0.072 | 0.059 | 164.816 | 0.171 | 0.482 | |
| 30.05 | 0.000 | 0.074 | 0.090 | 165.088 | 0.189 | 0.512 | |
| 31.05 | 0.000 | 0.104 | 0.069 | 162.293 | 0.196 | 0.360 | |
| min | 0.000 | 0.027 | 0.043 | 162.293 | 0.064 | 0.307 | |
| max | 0.502 | 7.370 | 0.090 | 174.880 | 0.338 | 0.582 | |
| MMV | 0.058 | 0.776 | 0.061 | 167.088 | 0.172 | 0.444 | |
| - = Out of op < = <2/3 M = Maintenance D = >DLV X = no daily classing S = Fault A = Start-up/shut down N = No Data | | | | | | | |