

# Menesine ataskaita: 07.2014



UAB Fortum Klaipeda		sugeneruota: 1.08.2014				
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.
1.07	18.126	10.373	5.375	0.693	2.928	1.037
2.07	18.217	10.333	5.716	0.960	2.313	2.136
3.07	18.388	10.365	6.488	1.351	2.717	3.473
4.07	18.571	10.787	4.429	1.026	1.841	3.981
5.07	18.466	10.842	4.301	1.572	1.948	4.261
6.07	18.442	10.571	6.093	0.713	2.484	4.635
7.07	18.322	10.506	4.865	0.818	2.539	4.852
8.07	17.918	10.582	4.156	0.873	1.799	5.912
9.07	17.723	10.346	4.145	2.382	1.818	5.533
10.07	18.106	10.496	4.276	0.681	2.029	5.097
11.07	18.268	11.413	3.542	1.930	2.572	4.371
12.07	18.778	11.663	3.425	3.955	2.832	3.968
13.07	18.699	11.322	3.365	1.076	2.377	3.890
14.07	18.739	11.726	3.339	2.668	1.756	4.052
15.07	19.426	11.712	3.388	1.140	1.993	4.435
16.07	18.978	11.704	3.851	0.070	1.799	4.905
17.07	19.206	11.754	3.345	0.042	1.382	5.683
18.07	18.884	11.543	3.407	0.483	0.936	6.194
19.07	18.773	11.160	3.627	0.122	0.734	6.831
20.07	18.656	11.410	3.241	0.260	0.770	6.542
21.07	18.864	10.917	4.528	0.249	0.808	6.707
22.07	18.817	11.112	3.295	0.360	0.867	6.756
23.07	18.340	10.713	3.333	0.826	0.824	6.842
24.07	17.576	10.103	3.902	1.243	1.364	6.124
25.07	17.260	10.172	3.617	1.727	1.300	5.738
26.07	17.618	10.325	3.387	1.545	1.155	5.936
27.07	17.786	10.478	3.329	1.739	1.165	5.580
28.07	17.678	10.317	3.353	2.553	0.823	5.878
29.07	17.764	10.263	3.359	2.372	0.639	6.572
30.07	17.121	10.349	3.358	2.789	0.626	6.520
31.07	17.322	10.322	3.359	3.287	0.863	5.598
min	17.121	10.103	3.241	0.042	0.626	1.037
max	19.426	11.754	6.488	3.955	2.928	6.842
MMV	18.285	10.828	3.974	1.339	1.613	5.163
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down						

# Menesine ataskaita: 07.2014



	UAB Fortum Klaipeda sugeneruota: 1.08.2014					
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h
1.07	0.545	0.000	151.023	1.320	0.148	198144.39
2.07	0.502	0.000	157.623	1.355	0.111	227827.17
3.07	0.445	0.000	152.677	1.407	0.135	229456.29
4.07	0.457	0.000	154.871	1.417	0.104	225629.60
5.07	0.327	0.000	145.127	1.282	0.111	218938.81
6.07	0.246	0.000	146.152	1.396	0.155	216589.17
7.07	0.194	0.000	132.012	1.513	0.142	216619.43
8.07	0.253	0.000	149.636	1.704	0.155	207289.64
9.07	0.269	0.000	152.000	1.707	0.143	201819.54
10.07	0.265	0.000	139.772	1.630	0.137	203629.76
11.07	0.258	0.000	135.597	1.471	0.180	203837.32
12.07	0.259	0.000	143.420	1.422	0.108	205790.76
13.07	0.237	0.000	135.734	1.373	0.091	207192.18
14.07	0.291	0.000	149.076	1.492	0.173	208435.89
15.07	0.423	0.000	135.010	1.423	0.158	217183.20
16.07	0.457	0.000	140.440	1.292	0.121	213272.42
17.07	0.469	0.000	149.827	1.412	0.125	211985.50
18.07	0.364	0.000	155.183	1.492	0.139	210971.60
19.07	0.316	0.000	149.074	1.561	0.135	206016.18
20.07	0.295	0.000	145.478	1.523	0.141	199763.75
21.07	0.323	0.000	142.399	1.567	0.086	199344.07
22.07	0.305	0.000	145.753	1.680	0.102	196947.07
23.07	0.292	0.000	146.940	1.606	0.105	199728.85
24.07	0.284	0.000	143.751	1.631	0.120	203228.68
25.07	0.234	0.000	139.066	1.469	0.106	194953.26
26.07	0.240	0.000	139.695	1.475	0.104	193134.04
27.07	0.238	0.000	146.638	1.575	0.102	191459.42
28.07	0.269	0.000	146.308	1.629	0.114	187479.06
29.07	0.280	0.000	144.231	1.722	0.106	182162.20
30.07	0.245	0.000	135.908	1.559	0.129	179506.43
31.07	0.263	0.000	141.409	1.566	0.137	187704.26
min	0.194	0.000	132.012	1.282	0.086	179506.43
max	0.545	0.000	157.623	1.722	0.180	229456.29
MMV	0.318	0.000	144.898	1.506	0.126	204711.20
- = Out of op < = <2/3                      X = no daily classing                      N = No Data M = Maintenance                                      S = Fault D = >DLV                                              A = Start-up/shut down						

# Menesine ataskaita: 07.2014



		UAB Fortum Klaipeda				sugeneruota: 1.08.2014	
		KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	
Diena	°C	mbar	Vol%	mbar	°C		
1.07	140.699	1007.596	6.572	1009.406	923.745		
2.07	142.119	1012.332	6.521	1013.792	937.257		
3.07	142.542	1014.710	6.412	1016.423	947.398		
4.07	142.506	1015.291	6.018	1015.551	958.676		
5.07	142.075	1010.502	5.873	1011.000	975.435		
6.07	141.942	1010.033	5.976	1010.859	976.210		
7.07	141.678	1013.869	6.071	1014.852	979.746		
8.07	139.279	1012.354	6.643	1013.420	974.386		
9.07	139.247	1008.748	6.788	1010.208	977.430		
10.07	140.714	1008.071	6.665	1009.737	974.888		
11.07	140.904	1009.742	6.026	1012.728	1002.438		
12.07	142.255	1006.448	5.733	1008.769	1028.919		
13.07	142.016	1003.762	5.821	1004.543	1032.355		
14.07	142.508	1009.004	5.574	1009.523	1029.392		
15.07	143.738	1012.510	5.489	1014.412	1016.318		
16.07	143.216	1017.438	5.669	1018.291	1020.566		
17.07	142.785	1018.649	5.687	1019.898	1043.532		
18.07	140.964	1018.109	5.831	1019.379	1044.432		
19.07	138.467	1016.617	6.059	1017.536	1038.403		
20.07	138.315	1012.518	5.882	1014.054	1056.262		
21.07	138.696	1011.311	6.081	1012.608	1033.731		
22.07	138.706	1015.084	5.986	1016.429	1049.246		
23.07	138.121	1017.343	6.295	1018.577	1030.432		
24.07	139.065	1016.912	7.009	1017.735	961.354		
25.07	138.748	1016.268	6.908	1017.006	980.579		
26.07	138.763	1015.458	6.750	1016.628	996.691		
27.07	139.882	1015.192	6.601	1015.168	1014.717		
28.07	138.693	1011.550	6.728	1012.326	1014.590		
29.07	136.536	1008.282	6.740	1008.702	1039.184		
30.07	135.678	1006.000	6.843	1006.509	1041.042		
31.07	138.454	1004.947	6.806	1006.610	1056.014		
min	135.678	1003.762	5.489	1004.543	923.745		
max	143.738	1018.649	7.009	1019.898	1056.262		
MMV	140.300	1012.149	6.260	1013.314	1005.012		
- = Out of op < = <2/3                      X = no daily classing                      N = No Data M = Maintenance                                      S = Fault D = >DLV                                                  A = Start-up/shut down							