

# Menesine ataskaita: 08.2019



UAB Fortum Klaipeda		sugeneruota: 1.09.2019				
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.
1.08	18.779	7.891	3.105	0.446	0.506	0.289
2.08	19.277	7.826	6.210	0.381	0.521	0.234
3.08	18.386	7.770	8.729	0.337	0.563	0.274
4.08	19.755	7.801	6.019	0.392	0.588	0.355
5.08	19.912	7.804	5.137	0.362	0.603	0.291
6.08	19.669	7.842	5.558	1.255	0.618	0.260
7.08	20.621	7.835	4.952	0.551	0.679	0.257
8.08	19.996	7.859	7.021	0.413	0.678	0.307
9.08	21.072	7.761	5.637	0.082	0.865	0.304
10.08	20.772	7.810	4.557	0.077	1.065	0.313
11.08	21.537	7.818	3.932	0.785	0.843	0.320
12.08	20.411	7.751	4.608	0.899	1.056	0.313
13.08	20.252	7.729	4.864	0.546	0.973	0.300
14.08	20.919	7.803	4.574	0.580	0.810	0.252
15.08	19.715	7.889	4.011	0.596	0.744	0.242
16.08	21.520	7.854	4.404	0.841	0.786	0.214
17.08	21.422	7.893	4.689	0.189	1.022	0.200
18.08	21.665	7.831	4.864	0.977	1.023	0.205
19.08	20.807	7.831	4.869	3.081	0.976	0.322
20.08	19.510	7.854	8.681	0.693	1.238	0.274
21.08	19.163	7.880	5.543	0.250	1.417	0.268
22.08	20.238	7.923	5.050	0.923	1.249	0.222
23.08	19.892	7.943	6.190	0.751	1.340	0.262
24.08	20.721	7.923	3.760	0.267	1.321	0.281
25.08	22.020	7.811	3.805	0.061	2.337	0.239
26.08	21.764	7.809	4.864	0.049	3.187	0.280
27.08	22.426	7.771	3.572	0.404	2.601	0.341
28.08	21.451	7.893	5.841	0.701	1.766	0.288
29.08	20.729	7.815	5.527	10.067	1.825	0.424
30.08	21.521	7.814	X	18.215	2.527	0.512
31.08	19.816	7.704	X	16.010	2.351	0.565
min	18.386	7.704	3.105	0.049	0.506	0.200
max	22.426	7.943	8.729	18.215	3.187	0.565
MMV	20.508	7.830	5.157	1.977	1.228	0.297
- = Out of op < = <2/3 M = Maintenance D = >DLV X = no daily classing S = Fault A = Start-up/shut down N = No Data						

# Menesine ataskaita: 08.2019



	UAB Fortum Klaipeda						sugeneruota: 1.09.2019
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.08	0.079	0.427	127.399	0.703	0.397	206053.12	
2.08	0.079	0.437	127.366	0.681	0.375	206477.93	
3.08	0.083	0.452	127.712	0.672	0.404	204595.29	
4.08	0.079	0.413	127.402	0.634	0.398	207625.20	
5.08	0.077	0.400	127.451	0.670	0.385	209065.01	
6.08	0.090	0.391	127.499	0.652	0.407	206973.50	
7.08	0.088	0.426	127.347	0.780	0.398	211397.70	
8.08	0.079	0.434	127.619	0.773	0.486	207445.31	
9.08	0.090	0.438	127.596	0.826	0.432	213596.62	
10.08	0.081	0.429	127.793	0.747	0.444	213122.48	
11.08	0.084	0.491	127.245	0.783	0.375	212600.85	
12.08	0.086	0.513	127.362	0.764	0.412	210925.76	
13.08	0.088	0.443	127.544	0.752	0.439	208979.12	
14.08	0.086	0.424	127.575	0.730	0.413	211303.00	
15.08	0.086	0.449	127.311	0.661	0.374	207334.68	
16.08	0.083	0.461	127.491	0.748	0.393	211587.93	
17.08	0.080	0.425	127.584	0.772	0.419	212109.70	
18.08	0.082	0.424	127.278	0.753	0.453	212178.26	
19.08	0.082	0.463	127.244	0.736	0.407	208222.18	
20.08	0.079	0.423	127.396	0.616	0.418	204290.75	
21.08	0.083	0.451	127.541	0.606	0.383	206407.48	
22.08	0.082	0.463	127.278	0.634	0.424	209030.35	
23.08	0.081	0.454	127.489	0.630	0.446	206865.60	
24.08	0.080	0.472	127.341	0.686	0.461	208720.25	
25.08	0.080	0.463	127.475	0.768	0.457	215120.85	
26.08	0.083	0.482	128.349	0.786	0.463	213558.18	
27.08	0.084	0.469	127.903	0.848	0.470	215498.62	
28.08	0.077	0.434	126.982	0.759	0.416	210160.39	
29.08	0.074	0.562	127.456	0.949	0.453	211174.82	
30.08	0.068	0.576	131.221	1.062	0.468	213755.06	
31.08	0.070	0.517	127.816	1.047	0.381	211071.32	
min	0.068	0.391	126.982	0.606	0.374	204290.75	
max	0.090	0.576	131.221	1.062	0.486	215498.62	
MMV	0.081	0.455	127.615	0.749	0.421	209911.42	
- = Out of op < = <2/3                      X = no daily classing                      N = No Data M = Maintenance                                      S = Fault D = >DLV    A = Start-up/shut down							

# Menesine ataskaita: 08.2019



	UAB Fortum Klaipeda			sugeneruota: 1.09.2019		
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	KLAIP_L1 CO_10Min Day_Conc
Diena	°C	mbar	Vol%	mbar	°C	Nm3/h
1.08	58.930	1026.086	5.799	1013.317	1043.733	3.453
2.08	59.420	1023.652	5.722	1010.318	1020.307	6.874
3.08	58.461	1022.968	6.102	1009.931	993.202	9.842
4.08	59.919	1022.619	5.623	1010.377	1005.912	6.733
5.08	60.084	1023.318	5.604	1010.204	1015.069	5.738
6.08	59.762	1020.202	5.715	1006.836	1044.906	6.187
7.08	58.721	1018.415	5.627	1004.888	1061.318	5.502
8.08	60.080	1015.656	5.715	1002.954	1050.748	7.860
9.08	61.216	1020.204	6.068	1007.045	1027.545	6.286
10.08	60.980	1024.284	6.027	1011.124	1045.854	5.082
11.08	61.771	1024.885	5.631	1011.133	1070.724	4.376
12.08	60.629	1024.586	5.998	1010.986	1059.641	5.146
13.08	60.469	1022.766	6.213	1009.406	1038.874	5.388
14.08	61.121	1023.785	5.858	1010.933	1064.971	5.090
15.08	59.939	1026.093	5.940	1012.500	1083.844	4.469
16.08	61.761	1026.133	5.495	1012.388	1065.707	4.913
17.08	61.693	1025.973	5.524	1012.275	1044.153	5.191
18.08	61.845	1021.648	5.449	1007.700	1052.227	5.414
19.08	60.929	1023.138	5.698	1010.173	1049.046	5.434
20.08	59.827	1032.794	5.939	1019.201	1027.246	9.713
21.08	59.381	1034.901	6.185	1021.622	1048.147	6.077
22.08	60.681	1039.900	5.819	1026.332	1044.783	5.637
23.08	60.283	1039.366	5.712	1025.536	1040.716	6.910
24.08	61.163	1037.872	5.624	1024.182	1067.030	4.195
25.08	62.462	1038.570	5.781	1024.678	1030.330	4.245
26.08	62.176	1037.566	5.871	1023.470	1025.464	5.415
27.08	62.829	1036.701	6.063	1022.669	1030.089	3.970
28.08	61.803	1033.400	5.623	1019.597	1070.978	6.521
29.08	61.421	1028.092	5.690	1014.578	1066.454	X
30.08	62.507	1032.277	5.388	1018.489	1038.210	X
31.08	60.933	1033.836	5.843	1019.922	1051.720	X
min	58.461	1015.656	5.388	1002.954	993.202	3.453
max	62.829	1039.900	6.213	1026.332	1083.844	9.842
MMV	60.748	1027.796	5.785	1014.348	1044.482	5.712
- = Out of op < = <2/3                      X = no daily classing                      N = No Data M = Maintenance                                      S = Fault D = >DLV    A = Start-up/shut down						

# Menesine ataskaita: 08.2019



	UAB Fortum Klaipeda						sugeneruota: 1.09.2019
	KLAIP_L1 SO2_97% Day_Conc	KLAIP_L1 HCL_97% Day_Conc	KLAIP_L1 HF_97% Day_Conc	KLAIP_L1 NOx_97% Day_Conc	KLAIP_L1 TOC_97% Day_Conc	KLAIP_L1 DULKES_97% Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.08	0.558	0.482	0.131	159.249	1.004	0.567	
2.08	0.476	0.390	0.132	159.207	0.973	0.536	
3.08	0.422	0.456	0.138	159.639	0.960	0.577	
4.08	0.490	0.592	0.132	159.252	0.906	0.568	
5.08	0.452	0.484	0.128	159.313	0.957	0.550	
6.08	1.569	0.433	0.150	159.374	0.931	0.582	
7.08	0.689	0.428	0.146	159.184	1.114	0.569	
8.08	0.517	0.512	0.132	159.523	1.104	0.694	
9.08	0.103	0.506	0.151	159.495	1.180	0.617	
10.08	0.096	0.521	0.135	159.741	1.067	0.634	
11.08	0.981	0.533	0.140	159.056	1.118	0.536	
12.08	1.124	0.522	0.143	159.203	1.091	0.589	
13.08	0.682	0.500	0.146	159.430	1.074	0.628	
14.08	0.725	0.420	0.144	159.469	1.043	0.590	
15.08	0.745	0.403	0.143	159.139	0.944	0.534	
16.08	1.052	0.357	0.139	159.364	1.068	0.562	
17.08	0.236	0.334	0.133	159.480	1.102	0.599	
18.08	1.222	0.342	0.136	159.097	1.076	0.647	
19.08	3.851	0.536	0.137	159.055	1.051	0.582	
20.08	0.866	0.457	0.132	159.245	0.880	0.598	
21.08	0.312	0.447	0.138	159.426	0.865	0.548	
22.08	1.154	0.371	0.137	159.098	0.906	0.605	
23.08	0.939	0.436	0.135	159.361	0.900	0.637	
24.08	0.334	0.468	0.134	159.176	0.980	0.658	
25.08	0.076	0.399	0.134	159.344	1.096	0.653	
26.08	0.061	0.466	0.138	160.436	1.122	0.661	
27.08	0.506	0.568	0.140	159.878	1.211	0.672	
28.08	0.876	0.480	0.128	158.728	1.084	0.594	
29.08	12.584	0.706	0.123	159.319	1.356	0.647	
30.08	22.769	0.853	0.114	164.027	1.517	0.668	
31.08	20.013	0.941	0.117	159.770	1.496	0.544	
min	0.061	0.334	0.114	158.728	0.865	0.534	
max	22.769	0.941	0.151	164.027	1.517	0.694	
MMV	2.471	0.495	0.136	159.519	1.070	0.601	
- = Out of op < = <2/3                      X = no daily classing                      N = No Data M = Maintenance                                      S = Fault D = >DLV    A = Start-up/shut down							