

	UBA Fortum Klaipeda						sugeneruota: 1.10.2013
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.09	20.949	11.079	26.611	5.587	0.732	0.371	
2.09	X	-	-	-	-	-	
3.09	-	-	-	-	-	-	
4.09	-	-	-	-	-	-	
5.09	-	-	-	-	-	-	
6.09	-	-	-	-	-	-	
7.09	-	-	-	-	-	-	
8.09	-	-	-	-	-	-	
9.09	-	-	-	-	-	-	
10.09	-	-	-	-	-	-	
11.09	-	-	-	-	-	-	
12.09	-	-	-	-	-	-	
13.09	-	-	-	-	-	-	
14.09	-	-	-	-	-	-	
15.09	X	-	-	-	-	-	
16.09	8.035	6.222	5.389	1.088	1.784	3.653	
17.09	X	-	-	-	-	-	
18.09	X	-	-	-	-	-	
19.09	13.307	10.292	D 32.078	13.023	2.244	2.350	
20.09	17.491	9.532	8.842	1.555	2.395	2.346	
21.09	18.283	9.001	8.977	0.371	1.362	4.634	
22.09	18.524	9.646	11.836	0.508	1.103	5.979	
23.09	17.208	9.255	6.911	1.632	0.892	6.370	
24.09	18.123	9.596	5.677	1.164	0.893	7.008	
25.09	14.347	10.026	6.323	0.081	0.947	7.372	
26.09	-	-	-	-	-	-	
27.09	-	-	-	-	-	-	
28.09	-	-	-	-	-	-	
29.09	X	X	X	X	X	X	
30.09	16.022	10.001	12.223	3.855	1.892	4.549	
min	8.035	6.222	5.389	0.081	0.732	0.371	
max	20.949	11.079	D 32.078	13.023	2.395	7.372	
MMV	15.863	9.646	12.320	2.671	1.407	4.539	
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                S = Fault D = >DLV                            A = Start-up/shut down							

# Menesine ataskaita: 09.2013



	UBA Fortum Klaipeda						sugeneruota: 1.10.2013
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.09	0.001	0.000	127.598	1.323	0.452	119221.00	
2.09	-	-	-	-	-	66365.758	
3.09	-	-	-	-	-	8005.844	
4.09	-	-	-	-	-	3625.719	
5.09	-	-	-	-	-	7360.123	
6.09	-	-	-	-	-	7342.723	
7.09	-	-	-	-	-	12344.698	
8.09	-	-	-	-	-	6525.898	
9.09	-	-	-	-	-	8360.595	
10.09	-	-	-	-	-	5848.232	
11.09	-	-	-	-	-	3752.923	
12.09	-	-	-	-	-	23470.734	
13.09	-	-	-	-	-	5128.783	
14.09	-	-	-	-	-	3479.245	
15.09	-	-	-	-	-	21157.719	
16.09	0.000	0.000	84.539	0.425	0.115	73651.852	
17.09	-	-	-	-	-	65824.250	
18.09	-	-	-	-	-	59879.172	
19.09	0.000	0.001	128.384	0.738	0.149	112920.35	
20.09	0.002	0.000	137.957	0.574	0.127	173481.04	
21.09	0.001	0.000	150.418	0.550	0.178	213390.64	
22.09	0.002	0.000	147.393	0.531	0.171	212643.85	
23.09	0.002	0.000	152.122	0.581	0.345	205640.70	
24.09	0.013	0.000	157.989	0.697	0.202	201671.85	
25.09	0.014	0.000	161.968	0.744	0.148	129230.89	
26.09	-	-	-	-	-	63991.848	
27.09	-	-	-	-	-	12936.325	
28.09	-	-	-	-	-	3851.425	
29.09	X	X	X	X	X	73221.031	
30.09	0.036	0.000	151.205	0.777	0.491	158232.75	
min	0.000	0.000	84.539	0.425	0.115	3479.245	
max	0.036	0.001	161.968	1.323	0.491	213390.64	
MMV	0.009	0.000	144.181	0.700	0.252	68751.969	
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down							

# Menesine ataskaita: 09.2013



UBA Fortum Klaipeda		sugeneruota: 1.10.2013				
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc		
Diena	°C	mbar	Vol%	mbar		
1.09	71.121	1005.801	7.561	1008.715		
2.09	X	X	X	X		
3.09	-	-	-	-		
4.09	-	-	-	-		
5.09	-	-	-	-		
6.09	-	-	-	-		
7.09	-	-	-	-		
8.09	-	-	-	-		
9.09	-	-	-	-		
10.09	-	-	-	-		
11.09	-	-	-	-		
12.09	-	-	-	-		
13.09	-	-	-	-		
14.09	-	-	-	-		
15.09	X	X	X	X		
16.09	118.076	998.860	13.581	1000.934		
17.09	X	X	X	X		
18.09	X	X	X	X		
19.09	127.257	996.236	9.166	999.015		
20.09	142.125	1002.725	7.280	1005.653		
21.09	139.252	1012.097	7.620	1013.789		
22.09	138.207	1009.567	7.457	1012.235		
23.09	137.447	1000.470	7.583	1003.601		
24.09	138.441	999.368	7.347	1003.250		
25.09	136.999	1004.815	10.318	1008.767		
26.09	-	-	-	-		
27.09	-	-	-	-		
28.09	-	-	-	-		
29.09	109.789	1016.158	X	1009.095		
30.09	142.167	1015.682	7.696	1019.138		
min	71.121	996.236	7.280	999.015		
max	142.167	1016.158	13.581	1019.138		
MMV	126.498	1005.176	8.793	1007.425		
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down						