

Menesine ataskaita: 09.2015



	UAB Fortum Klaipeda						sugeneruota: 1.10.2015
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.09	17.246	9.844	3.269	0.765	0.567	4.867	
2.09	17.328	9.939	3.228	1.112	0.580	4.472	
3.09	16.530	9.328	3.424	0.665	1.156	4.153	
4.09	16.451	9.252	3.488	0.673	1.357	4.059	
5.09	15.970	9.208	3.441	0.893	1.402	4.433	
6.09	16.576	9.516	3.690	0.515	1.251	4.589	
7.09	16.644	9.566	3.977	0.450	1.145	4.934	
8.09	15.722	9.042	4.105	0.786	0.902	5.410	
9.09	16.817	9.492	3.963	1.437	0.968	5.629	
10.09	17.727	9.784	3.885	1.797	1.368	5.297	
11.09	18.447	9.833	3.790	3.016	1.193	4.983	
12.09	17.187	9.665	3.739	1.418	0.985	4.395	
13.09	17.878	9.817	3.744	1.115	1.098	4.194	
14.09	17.654	9.721	3.795	0.951	1.588	3.729	
15.09	17.903	9.816	4.797	0.700	1.749	3.773	
16.09	19.330	10.124	6.935	1.223	2.715	4.256	
17.09	19.981	10.142	4.602	3.008	3.111	4.013	
18.09	19.078	10.082	5.267	2.557	2.579	3.331	
19.09	18.623	10.137	5.696	0.925	1.445	2.997	
20.09	14.002	9.350	4.576	0.727	2.005	3.229	
21.09	-	-	-	-	-	-	
22.09	-	-	-	-	-	-	
23.09	-	-	-	-	-	-	
24.09	-	-	-	-	-	-	
25.09	-	-	-	-	-	-	
26.09	-	-	-	-	-	-	
27.09	-	-	-	-	-	-	
28.09	-	-	-	-	-	-	
29.09	X	-	-	-	-	-	
30.09	X	-	-	-	-	-	
min	14.002	9.042	3.228	0.450	0.567	2.997	
max	19.981	10.142	6.935	3.016	3.111	5.629	
MMV	17.365	9.687	4.167	1.241	1.451	4.348	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 09.2015



	UAB Fortum Klaipeda						sugeneruota: 1.10.2015
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.09	0.003	0.233	144.225	0.827	0.079	188792.35	
2.09	0.003	0.262	154.143	0.803	0.109	192633.43	
3.09	0.002	0.278	128.812	0.757	0.128	193104.62	
4.09	0.005	0.280	136.322	0.816	0.093	198883.75	
5.09	0.004	0.238	128.307	0.742	0.117	198038.75	
6.09	0.009	0.244	131.003	0.820	0.124	200625.43	
7.09	0.013	0.283	135.109	0.931	0.098	200201.92	
8.09	0.015	0.348	137.176	1.090	0.125	201767.95	
9.09	0.018	0.400	131.072	1.021	0.079	202974.51	
10.09	0.012	0.412	136.794	0.963	0.099	204211.35	
11.09	0.010	0.421	147.536	0.932	0.271	208746.85	
12.09	0.011	0.361	147.885	0.882	0.186	203637.20	
13.09	0.012	0.341	155.571	0.898	0.120	207663.12	
14.09	0.014	0.277	146.780	0.874	0.143	205916.51	
15.09	0.014	0.239	146.729	1.009	0.153	208217.31	
16.09	0.010	0.267	148.382	1.061	0.159	211437.75	
17.09	0.007	0.202	141.812	1.035	0.129	201976.62	
18.09	0.011	0.274	144.586	0.916	0.177	203691.35	
19.09	0.018	0.322	138.348	1.052	0.160	203064.48	
20.09	0.015	0.660	138.364	1.326	0.153	150548.81	
21.09	-	-	-	-	-	91917.055	
22.09	-	-	-	-	-	82823.883	
23.09	-	-	-	-	-	73942.430	
24.09	-	-	-	-	-	76763.406	
25.09	-	-	-	-	-	32681.264	
26.09	-	-	-	-	-	957.090	
27.09	-	-	-	-	-	863.304	
28.09	-	-	-	-	-	2092.427	
29.09	-	-	-	-	-	42157.762	
30.09	-	-	-	-	-	36136.617	
min	0.002	0.202	128.307	0.742	0.079	863.304	
max	0.018	0.660	155.571	1.326	0.271	211437.75	
MMV	0.010	0.313	140.998	0.933	0.135	147548.95	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 09.2015



		UAB Fortum Klaipeda				sugeneruota: 1.10.2015	
		KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	
Diena	°C	mbar	Vol%	mbar	°C		
1.09	140.278	1006.478	6.312	1005.200	1013.681		
2.09	141.161	1007.196	6.191	1007.051	1016.087		
3.09	139.453	1013.686	6.706	1012.312	994.345		
4.09	139.818	1011.049	6.679	1010.111	985.836		
5.09	139.591	1004.635	6.682	1003.865	1003.845		
6.09	140.172	1002.095	6.434	1001.518	1018.106		
7.09	140.784	1005.124	6.407	1005.329	981.307		
8.09	140.113	1011.625	6.470	1011.179	1008.116		
9.09	140.872	1021.009	6.437	1020.439	1009.824		
10.09	142.754	1028.261	6.271	1027.213	1009.995		
11.09	144.478	1029.735	6.255	1028.950	1002.238		
12.09	141.594	1026.233	6.450	1025.513	985.603		
13.09	143.220	1022.949	6.272	1021.903	976.525		
14.09	142.745	1016.569	6.336	1016.118	1002.664		
15.09	143.001	1010.288	6.323	1008.815	985.306		
16.09	145.355	1007.875	6.094	1006.692	982.215		
17.09	147.003	1003.721	6.036	1001.203	974.617		
18.09	145.327	1007.000	6.183	1007.347	978.549		
19.09	144.125	1016.937	6.197	1015.717	987.250		
20.09	138.867	1013.796	8.690	1013.026	957.290		
21.09	-	-	-	-	-		
22.09	-	-	-	-	-		
23.09	-	-	-	-	-		
24.09	-	-	-	-	-		
25.09	-	-	-	-	-		
26.09	-	-	-	-	-		
27.09	-	-	-	-	-		
28.09	-	-	-	-	-		
29.09	X	X	X	X	-		
30.09	X	X	X	X	-		
min	138.867	1002.095	6.036	1001.203	957.290		
max	147.003	1029.735	8.690	1028.950	1018.106		
MMV	141.129	1013.496	6.465	1012.464	994.092		
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							