

Menesine ataskaita: 09.2022



| | UAB Fortum Klaipeda | | | | | | sugeneruota: 1.10.2022 |
|--|-----------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|
| | KLAIP_L1 H2O Day_Conc | KLAIP_L1 CO2 Day_Conc | KLAIP_L1 CO Day_Conc | KLAIP_L1 SO2 Day_Conc | KLAIP_L1 NH3 Day_Conc | KLAIP_L1 HCL Day_Conc | |
| Diena | Vol% | Vol% | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | |
| 1.09 | 17.669 | 7.434 | 3.280 | 0.000 | 0.244 | 4.800 | |
| 2.09 | 16.485 | 7.463 | 5.552 | 0.016 | 0.214 | 4.595 | |
| 3.09 | 17.967 | 7.400 | 3.800 | 0.000 | 0.282 | 4.798 | |
| 4.09 | 19.322 | 7.387 | 3.337 | 0.000 | 0.358 | 4.815 | |
| 5.09 | 17.858 | 7.402 | 2.622 | 0.000 | 0.260 | 4.436 | |
| 6.09 | 15.900 | 7.467 | 3.649 | 0.000 | 0.152 | 4.365 | |
| 7.09 | 16.809 | 7.407 | 3.062 | 0.020 | 0.142 | 4.660 | |
| 8.09 | 15.738 | 7.401 | 2.845 | 0.068 | 0.141 | 4.462 | |
| 9.09 | 16.081 | 7.395 | 4.195 | 0.011 | 0.136 | 4.704 | |
| 10.09 | 16.955 | 7.392 | 3.996 | 0.008 | 0.151 | 4.917 | |
| 11.09 | 17.511 | 7.371 | 3.485 | 0.011 | 0.178 | 5.039 | |
| 12.09 | 18.243 | 7.377 | 3.556 | 0.007 | 0.216 | 5.021 | |
| 13.09 | 15.935 | 7.429 | 5.143 | 0.005 | 0.242 | 4.588 | |
| 14.09 | 17.056 | 7.387 | 4.656 | 0.008 | 0.298 | 4.827 | |
| 15.09 | 17.130 | 7.355 | 3.909 | 0.006 | 0.249 | 5.020 | |
| 16.09 | 17.503 | 7.393 | 4.845 | 0.003 | 0.256 | 4.952 | |
| 17.09 | 16.719 | 7.376 | 4.012 | 0.006 | 0.261 | 4.725 | |
| 18.09 | 18.203 | 7.395 | 3.845 | 0.001 | 0.350 | 4.809 | |
| 19.09 | 17.866 | 7.385 | 3.801 | 0.001 | 0.347 | 4.496 | |
| 20.09 | 17.822 | 7.409 | 4.316 | 0.000 | 0.325 | 4.610 | |
| 21.09 | 18.882 | 7.418 | 3.609 | 0.000 | 0.415 | 4.359 | |
| 22.09 | 18.641 | 7.431 | 3.494 | 0.000 | 0.351 | 4.144 | |
| 23.09 | 18.082 | 7.493 | 4.015 | 0.010 | 0.200 | 4.703 | |
| 24.09 | 17.708 | 7.426 | 3.691 | 0.010 | 0.306 | 4.640 | |
| 25.09 | 18.200 | 7.338 | 3.505 | 0.007 | 0.404 | 4.537 | |
| 26.09 | 19.198 | 7.304 | 3.244 | 0.009 | 0.567 | 4.414 | |
| 27.09 | 16.928 | 7.380 | 5.174 | 0.007 | 0.301 | 4.155 | |
| 28.09 | 17.846 | 7.414 | 4.325 | 0.007 | 0.454 | 4.421 | |
| 29.09 | 16.936 | 7.478 | 4.183 | 0.006 | 0.320 | 4.399 | |
| 30.09 | 17.302 | 7.464 | 4.615 | 0.056 | 0.315 | 4.650 | |
| min | 15.738 | 7.304 | 2.622 | 0.000 | 0.136 | 4.144 | |
| max | 19.322 | 7.493 | 5.552 | 0.068 | 0.567 | 5.039 | |
| MMV | 17.482 | 7.406 | 3.926 | 0.009 | 0.281 | 4.636 | |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | | |

Menesine ataskaita: 09.2022



| | UAB Fortum Klaipeda | | | | | | sugeneruota: 1.10.2022 |
|--|----------------------------|-----------------------------|-----------------------------|-----------------------------|--------------------------------|---------------------------------|------------------------|
| | KLAIP_L1 HF Day_Conc | KLAIP_L1 CH4 Day_Conc | KLAIP_L1 NOx Day_Conc | KLAIP_L1 TOC Day_Conc | KLAIP_L1 DULKES Day_Conc | KLAIP_L1 SRAUTAS Day_Conc | |
| Diena | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | Nm3/h | |
| 1.09 | 0.041 | 0.095 | 143.535 | 0.121 | 0.187 | 218837.32 | |
| 2.09 | 0.041 | 0.040 | 142.924 | 0.019 | 0.184 | 213364.35 | |
| 3.09 | 0.035 | 0.095 | 143.839 | 0.096 | 0.179 | 219378.98 | |
| 4.09 | 0.033 | 0.126 | 143.463 | 0.145 | 0.406 | 223625.79 | |
| 5.09 | 0.033 | 0.073 | 143.416 | 0.072 | X | 218900.12 | |
| 6.09 | 0.031 | 0.009 | 143.624 | 0.007 | 0.250 | 213465.17 | |
| 7.09 | 0.037 | 0.044 | 143.292 | 0.025 | 0.252 | 216827.79 | |
| 8.09 | 0.038 | 0.032 | 142.209 | 0.023 | 0.255 | 212007.29 | |
| 9.09 | 0.037 | 0.020 | 141.045 | 0.031 | 0.214 | 211684.73 | |
| 10.09 | 0.036 | 0.046 | 143.995 | 0.055 | 0.255 | 214161.76 | |
| 11.09 | 0.037 | 0.086 | 143.454 | 0.084 | 0.191 | 216522.60 | |
| 12.09 | 0.041 | 0.140 | 143.664 | 0.126 | 0.175 | 219260.75 | |
| 13.09 | 0.038 | 0.064 | 143.648 | 0.031 | 0.280 | 214687.37 | |
| 14.09 | 0.051 | 0.069 | 143.716 | 0.197 | 0.225 | 217957.01 | |
| 15.09 | 0.059 | 0.056 | 143.726 | 0.215 | 0.342 | 217720.04 | |
| 16.09 | 0.059 | 0.050 | 143.908 | 0.181 | 0.207 | 216644.31 | |
| 17.09 | 0.059 | 0.053 | 143.652 | 0.178 | 0.190 | 215014.20 | |
| 18.09 | 0.054 | 0.098 | 143.875 | 0.234 | 0.190 | 220112.14 | |
| 19.09 | 0.049 | 0.094 | 143.823 | 0.151 | 0.241 | 218272.29 | |
| 20.09 | 0.040 | 0.124 | 143.801 | 0.159 | 0.237 | 219084.82 | |
| 21.09 | 0.041 | 0.141 | 143.802 | 0.118 | 0.234 | 221376.73 | |
| 22.09 | 0.042 | 0.163 | 143.784 | 0.153 | 0.198 | 218911.64 | |
| 23.09 | 0.050 | 0.136 | 143.293 | 0.115 | 0.157 | 219659.73 | |
| 24.09 | 0.047 | 0.125 | 143.938 | 0.185 | 0.216 | 220436.62 | |
| 25.09 | 0.044 | 0.114 | 143.612 | 0.216 | 0.217 | 221776.32 | |
| 26.09 | 0.029 | 0.006 | 143.639 | 0.008 | 0.170 | 223908.20 | |
| 27.09 | 0.028 | 0.001 | 143.362 | 0.008 | 0.169 | 216576.89 | |
| 28.09 | 0.027 | 0.001 | 143.804 | 0.001 | 0.248 | 217406.31 | |
| 29.09 | 0.026 | 0.000 | 143.879 | 0.002 | 0.220 | 217420.45 | |
| 30.09 | 0.029 | 0.003 | 143.443 | 0.025 | 0.140 | 218978.12 | |
| min | 0.026 | 0.000 | 141.045 | 0.001 | 0.140 | 211684.73 | |
| max | 0.059 | 0.163 | 143.995 | 0.234 | 0.406 | 223908.20 | |
| MMV | 0.040 | 0.070 | 143.505 | 0.099 | 0.236 | 217799.28 | |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | | |

Menesine ataskaita: 09.2022



| | UAB Fortum Klaipeda | | | sugeneruota: 1.10.2022 | | |
|--|----------------------------------|----------------------------------|----------------------------|----------------------------------|----------------------------------|----------------------------------|
| | KLAIP_L1 Kamino_T Day_Conc | KLAIP_L1 Kamino_P Day_Conc | KLAIP_L1 O2 Day_Conc | KLAIP_L1 Atmosf_P Day_Conc | KLAIP_L1 Degimo_T Day_Conc | KLAIP_L1 CO_10Min Day_Conc |
| Diena | °C | mbar | Vol% | mbar | °C | Nm3/h |
| 1.09 | 134.198 | 1036.071 | 6.357 | 1018.908 | 1082.549 | 3.639 |
| 2.09 | 132.445 | 1038.307 | 6.537 | 1020.460 | 1024.501 | 6.164 |
| 3.09 | 136.968 | 1039.575 | 6.300 | 1022.538 | 1055.339 | 4.234 |
| 4.09 | 140.186 | 1042.511 | 6.032 | 1025.121 | 1080.257 | 3.707 |
| 5.09 | 137.149 | 1045.054 | 6.397 | 1027.742 | 1100.762 | 2.914 |
| 6.09 | 132.089 | 1041.739 | 6.675 | 1024.467 | 1025.428 | 4.061 |
| 7.09 | 133.517 | 1037.001 | 6.450 | 1018.867 | 1050.403 | 3.399 |
| 8.09 | 133.086 | 1035.625 | 6.663 | 1018.653 | 1060.781 | 3.162 |
| 9.09 | 133.545 | 1034.610 | 6.532 | 1017.317 | 1029.492 | 4.668 |
| 10.09 | 135.037 | 1032.633 | 6.357 | 1014.544 | 1013.773 | 4.452 |
| 11.09 | 136.449 | 1026.838 | 6.283 | 1009.796 | 1038.750 | 3.875 |
| 12.09 | 138.306 | 1029.010 | 6.224 | 1011.462 | 1062.516 | 3.947 |
| 13.09 | 133.882 | 1025.033 | 6.724 | 1007.139 | 1025.353 | 5.716 |
| 14.09 | 136.308 | 1015.157 | 6.385 | 997.160 | 1049.078 | 5.178 |
| 15.09 | 135.996 | 1010.642 | 6.407 | 993.511 | 1047.332 | 4.343 |
| 16.09 | 136.496 | 1008.302 | 6.333 | 991.674 | 1040.164 | 5.403 |
| 17.09 | 135.154 | 1012.229 | 6.468 | 994.398 | 1027.487 | 4.451 |
| 18.09 | 138.318 | 1016.280 | 6.214 | 998.333 | 1037.579 | 4.273 |
| 19.09 | 137.613 | 1017.544 | 6.268 | 1000.452 | 1035.049 | 4.230 |
| 20.09 | 136.342 | 1026.324 | 6.267 | 1008.969 | 1027.662 | 4.793 |
| 21.09 | 137.000 | 1034.851 | 6.092 | 1017.780 | 1048.241 | 4.011 |
| 22.09 | 135.893 | 1037.318 | 6.179 | 1019.781 | 1037.556 | 3.904 |
| 23.09 | 135.050 | 1034.631 | 6.278 | 1016.659 | 1041.072 | 4.463 |
| 24.09 | 135.730 | 1032.168 | 6.287 | 1013.915 | 1034.293 | 4.103 |
| 25.09 | 136.667 | 1029.257 | 6.262 | 1011.096 | 1049.465 | 3.895 |
| 26.09 | 138.864 | 1021.460 | 6.088 | 1003.849 | 1066.209 | 3.615 |
| 27.09 | 134.368 | 1017.916 | 6.442 | 1000.442 | 1052.252 | 5.767 |
| 28.09 | 135.254 | 1013.673 | 6.294 | 997.170 | 1016.555 | 4.797 |
| 29.09 | 133.592 | 1016.931 | 6.432 | 998.851 | 1026.821 | 4.651 |
| 30.09 | 134.445 | 1027.165 | 6.419 | 1009.202 | 1047.081 | 5.123 |
| min | 132.089 | 1008.302 | 6.032 | 991.674 | 1013.773 | 2.914 |
| max | 140.186 | 1045.054 | 6.724 | 1027.742 | 1100.762 | 6.164 |
| MMV | 135.665 | 1027.862 | 6.355 | 1010.343 | 1044.459 | 4.365 |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | |

Menesine ataskaita: 09.2022



| | UAB Fortum Klaipeda sugeneruota: 1.10.2022 | | | | | |
|--|--|---------------------------------|--------------------------------|---------------------------------|---------------------------------|------------------------------------|
| | KLAIP_L1 SO2_97% Day_Conc | KLAIP_L1 HCL_97% Day_Conc | KLAIP_L1 HF_97% Day_Conc | KLAIP_L1 NOx_97% Day_Conc | KLAIP_L1 TOC_97% Day_Conc | KLAIP_L1 DULKES_97% Day_Conc |
| Diena | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. |
| 1.09 | 0.000 | 8.000 | 0.069 | 179.419 | 0.173 | 0.267 |
| 2.09 | 0.019 | 7.659 | 0.068 | 178.655 | 0.027 | 0.263 |
| 3.09 | 0.000 | 7.997 | 0.059 | 179.798 | 0.137 | 0.255 |
| 4.09 | 0.000 | 8.025 | 0.055 | 179.329 | 0.207 | 0.580 |
| 5.09 | 0.000 | 7.393 | 0.055 | 179.271 | 0.103 | X |
| 6.09 | 0.000 | 7.275 | 0.051 | 179.530 | 0.009 | 0.357 |
| 7.09 | 0.025 | 7.767 | 0.062 | 179.115 | 0.036 | 0.360 |
| 8.09 | 0.085 | 7.437 | 0.063 | 177.761 | 0.033 | 0.364 |
| 9.09 | 0.013 | 7.840 | 0.062 | 176.306 | 0.044 | 0.305 |
| 10.09 | 0.010 | 8.195 | 0.061 | 179.994 | 0.078 | 0.365 |
| 11.09 | 0.013 | 8.399 | 0.062 | 179.317 | 0.120 | 0.272 |
| 12.09 | 0.008 | 8.368 | 0.068 | 179.580 | 0.179 | 0.251 |
| 13.09 | 0.006 | 7.646 | 0.064 | 179.560 | 0.045 | 0.400 |
| 14.09 | 0.010 | 8.045 | 0.085 | 179.645 | 0.281 | 0.321 |
| 15.09 | 0.008 | 8.366 | 0.098 | 179.657 | 0.307 | 0.488 |
| 16.09 | 0.003 | 8.254 | 0.099 | 179.885 | 0.259 | 0.295 |
| 17.09 | 0.008 | 7.875 | 0.098 | 179.565 | 0.255 | 0.271 |
| 18.09 | 0.002 | 8.015 | 0.090 | 179.844 | 0.334 | 0.272 |
| 19.09 | 0.001 | 7.493 | 0.081 | 179.779 | 0.216 | 0.344 |
| 20.09 | 0.001 | 7.683 | 0.067 | 179.751 | 0.227 | 0.338 |
| 21.09 | 0.000 | 7.264 | 0.068 | 179.753 | 0.169 | 0.334 |
| 22.09 | 0.000 | 6.906 | 0.070 | 179.730 | 0.219 | 0.284 |
| 23.09 | 0.013 | 7.838 | 0.083 | 179.116 | 0.165 | 0.224 |
| 24.09 | 0.012 | 7.734 | 0.078 | 179.922 | 0.264 | 0.309 |
| 25.09 | 0.009 | 7.562 | 0.074 | 179.515 | 0.308 | 0.310 |
| 26.09 | 0.011 | 7.357 | 0.048 | 179.549 | 0.012 | 0.243 |
| 27.09 | 0.009 | 6.925 | 0.046 | 179.202 | 0.012 | 0.241 |
| 28.09 | 0.009 | 7.369 | 0.045 | 179.755 | 0.002 | 0.354 |
| 29.09 | 0.007 | 7.331 | 0.043 | 179.849 | 0.002 | 0.314 |
| 30.09 | 0.069 | 7.750 | 0.048 | 179.304 | 0.036 | 0.200 |
| min | 0.000 | 6.906 | 0.043 | 176.306 | 0.002 | 0.200 |
| max | 0.085 | 8.399 | 0.099 | 179.994 | 0.334 | 0.580 |
| MMV | 0.012 | 7.726 | 0.067 | 179.382 | 0.142 | 0.338 |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | |