

Menesine ataskaita: 09.2023



	UAB Gren Klaipeda						sugeneruota: 1.10.2023
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.09	17.495	7.532	4.926	6.620	0.007	0.000	
2.09	18.402	7.561	5.544	1.650	0.013	0.000	
3.09	18.288	7.601	6.170	0.320	0.041	0.000	
4.09	17.653	7.640	5.503	1.257	0.026	0.000	
5.09	16.736	7.682	6.026	7.158	0.009	0.000	
6.09	17.762	7.648	5.650	1.886	0.041	0.000	
7.09	17.179	7.633	4.470	2.559	0.015	0.000	
8.09	17.535	7.651	6.039	1.313	0.004	0.000	
9.09	19.015	7.605	5.401	1.236	0.022	0.000	
10.09	19.182	7.614	5.414	0.109	0.040	0.000	
11.09	18.864	7.616	5.780	0.640	0.053	0.000	
12.09	15.954	7.704	3.943	3.327	0.017	0.000	
13.09	16.782	7.682	7.592	4.079	0.025	0.000	
14.09	16.321	7.717	4.944	3.471	0.074	0.000	
15.09	16.756	7.688	4.567	3.793	0.092	0.000	
16.09	17.705	7.663	4.111	3.573	0.008	0.000	
17.09	18.398	7.619	4.332	0.626	0.000	0.000	
18.09	17.955	7.613	5.590	1.494	0.000	0.000	
19.09	16.266	7.702	4.075	3.727	0.026	0.000	
20.09	17.106	7.684	4.741	5.430	0.012	0.000	
21.09	16.386	7.705	4.472	5.712	0.034	0.000	
22.09	17.951	7.592	5.675	3.829	0.006	0.000	
23.09	18.403	7.632	4.740	2.432	0.000	0.000	
24.09	18.259	7.605	5.441	1.236	0.052	0.000	
25.09	17.986	7.690	4.853	0.904	0.127	0.000	
26.09	16.593	7.773	3.798	2.131	0.059	0.000	
27.09	17.457	7.740	4.048	2.483	0.000	0.000	
28.09	17.505	7.627	4.869	1.331	0.004	0.000	
29.09	17.221	7.573	4.655	6.370	0.066	0.632	
30.09	17.652	7.540	3.792	2.824	0.000	0.000	
min	15.954	7.532	3.792	0.109	0.000	0.000	
max	19.182	7.773	7.592	7.158	0.127	0.632	
MMV	17.559	7.644	5.039	2.784	0.029	0.021	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 09.2023



	UAB Gren Klaipeda						sugeneruota: 1.10.2023
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.09	0.065	0.000	143.457	0.082	0.780	183251.18	
2.09	0.066	0.000	143.600	0.150	0.809	184862.68	
3.09	0.066	0.000	143.123	0.192	0.798	184059.00	
4.09	0.068	0.000	143.620	0.090	0.895	181213.31	
5.09	0.069	0.000	143.255	0.048	1.382	181408.45	
6.09	0.067	0.000	143.513	0.106	0.932	181882.85	
7.09	0.070	0.000	143.313	0.040	0.844	181839.34	
8.09	0.070	0.000	143.286	0.066	0.711	181255.18	
9.09	0.069	0.000	143.515	0.174	0.761	185773.00	
10.09	0.064	0.000	143.493	0.209	0.753	185022.06	
11.09	0.066	0.000	143.454	0.234	0.793	182948.59	
12.09	0.066	0.000	143.765	0.017	0.892	176502.62	
13.09	0.064	0.200	142.918	0.097	0.903	178032.06	
14.09	0.067	0.000	143.532	0.022	1.627	178104.10	
15.09	0.071	0.000	143.613	0.005	1.449	179192.82	
16.09	0.076	0.000	143.316	0.061	1.069	181078.45	
17.09	0.076	0.000	143.736	0.040	0.822	180768.35	
18.09	0.072	0.002	143.331	0.034	0.910	179273.68	
19.09	0.067	0.000	143.637	0.010	0.940	172953.39	
20.09	0.073	0.000	143.063	0.024	1.066	176562.60	
21.09	0.072	0.000	143.288	0.009	1.667	180617.50	
22.09	0.069	0.000	143.373	0.096	1.183	182706.10	
23.09	0.071	0.000	143.268	0.094	0.815	183220.51	
24.09	0.078	0.000	143.339	0.029	1.123	182362.06	
25.09	0.075	0.000	143.616	0.029	1.464	182463.54	
26.09	0.074	0.000	143.540	0.007	1.289	178745.17	
27.09	0.075	0.000	143.779	0.014	0.799	180786.95	
28.09	0.068	0.000	143.683	0.019	0.807	183493.82	
29.09	0.067	0.000	143.271	0.023	0.990	179962.07	
30.09	0.070	0.000	143.752	0.041	0.804	182860.93	
min	0.064	0.000	142.918	0.005	0.711	172953.39	
max	0.078	0.200	143.779	0.234	1.667	185773.00	
MMV	0.070	0.007	143.448	0.069	1.003	181084.29	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 09.2023



	UAB Gren Klaipeda			sugeneruota: 1.10.2023		
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	KLAIP_L1 CO_10Min Day_Conc
Diena	°C	mbar	Vol%	mbar	°C	Nm3/h
1.09	57.102	1025.814	6.710	1006.752	1078.213	5.223
2.09	58.347	1031.587	6.458	1012.088	1077.090	5.916
3.09	58.367	1038.692	6.394	1018.825	1075.348	6.627
4.09	57.615	1043.038	6.557	1022.880	1087.512	5.869
5.09	56.373	1041.276	7.066	1021.154	1062.577	6.441
6.09	57.709	1041.430	6.599	1021.300	1089.406	6.043
7.09	57.023	1046.176	6.851	1026.727	1088.563	4.700
8.09	57.435	1042.010	6.632	1022.078	1074.399	6.453
9.09	59.276	1039.942	6.480	1019.706	1070.540	5.755
10.09	59.473	1037.049	6.251	1016.595	1084.279	5.777
11.09	59.007	1032.385	6.266	1012.775	1076.895	6.191
12.09	55.181	1031.238	6.894	1011.131	1063.922	4.108
13.09	56.252	1029.202	6.718	1008.968	1072.813	8.134
14.09	55.696	1032.487	6.753	1014.295	1072.080	5.213
15.09	56.416	1042.678	6.783	1023.268	1066.889	4.819
16.09	57.654	1042.888	6.613	1022.816	1082.797	4.306
17.09	58.490	1037.015	6.470	1017.330	1093.274	4.552
18.09	57.845	1033.814	6.611	1014.274	1062.296	5.981
19.09	55.490	1024.393	6.909	1004.622	1065.114	4.246
20.09	56.628	1027.519	6.704	1007.618	1072.593	5.012
21.09	55.715	1029.984	6.844	1008.949	1082.886	4.700
22.09	57.653	1023.902	6.451	1003.993	1066.172	6.053
23.09	58.290	1026.240	6.413	1007.791	1079.422	5.008
24.09	58.360	1039.270	6.792	1019.725	1072.052	5.811
25.09	58.140	1048.446	6.593	1028.381	1079.678	5.145
26.09	56.233	1045.634	6.918	1025.790	1070.192	3.942
27.09	57.325	1042.902	6.703	1021.615	1087.329	4.243
28.09	57.386	1039.704	6.556	1018.972	1074.669	5.152
29.09	75.807	1035.281	6.735	1015.593	1078.015	4.916
30.09	57.389	1031.463	6.621	1012.731	1100.443	3.952
min	55.181	1023.902	6.251	1003.993	1062.296	3.942
max	75.807	1048.446	7.066	1028.381	1100.443	8.134
MMV	57.989	1036.115	6.645	1016.292	1076.915	5.343
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						

Menesine ataskaita: 09.2023



	UAB Gren Klaipeda						sugeneruota: 1.10.2023
	KLAIP_L1 SO2_97% Day_Conc	KLAIP_L1 HCL_97% Day_Conc	KLAIP_L1 HF_97% Day_Conc	KLAIP_L1 NOx_97% Day_Conc	KLAIP_L1 TOC_97% Day_Conc	KLAIP_L1 DULKES_97% Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.09	8.276	0.000	0.055	186.702	0.031	0.696	
2.09	2.063	0.000	0.057	186.848	0.075	0.742	
3.09	0.400	0.000	0.057	186.215	0.101	0.732	
4.09	1.572	0.000	0.061	186.861	0.025	0.875	
5.09	8.948	0.000	0.061	186.527	0.013	1.581	
6.09	2.357	0.000	0.058	186.748	0.051	0.927	
7.09	3.199	0.000	0.063	186.550	0.010	0.795	
8.09	1.641	0.000	0.065	186.458	0.029	0.604	
9.09	1.546	0.000	0.061	186.788	0.093	0.670	
10.09	0.137	0.000	0.054	186.689	0.107	0.663	
11.09	0.800	0.000	0.057	186.625	0.146	0.722	
12.09	4.158	0.000	0.057	187.061	0.000	0.867	
13.09	5.099	0.000	0.054	185.977	0.107	0.883	
14.09	4.339	0.000	0.059	186.737	0.003	1.949	
15.09	4.741	0.000	0.065	186.878	0.000	1.688	
16.09	4.466	0.000	0.074	186.499	0.026	1.129	
17.09	0.783	0.000	0.074	187.023	0.006	0.764	
18.09	1.867	0.000	0.066	186.535	0.004	0.890	
19.09	4.659	0.000	0.059	186.924	0.001	0.932	
20.09	6.787	0.000	0.068	186.175	0.007	1.120	
21.09	7.140	0.000	0.068	186.467	0.002	2.004	
22.09	4.787	0.000	0.062	186.531	0.056	1.292	
23.09	3.040	0.000	0.065	186.413	0.045	0.750	
24.09	1.545	0.000	0.076	186.640	0.005	1.197	
25.09	1.130	0.000	0.071	186.891	0.004	1.709	
26.09	2.663	0.000	0.071	186.826	0.001	1.451	
27.09	3.104	0.000	0.072	187.102	0.003	0.732	
28.09	1.664	0.000	0.061	186.932	0.003	0.746	
29.09	7.962	1.053	0.059	186.456	0.005	0.984	
30.09	3.530	0.000	0.064	187.053	0.010	0.734	
min	0.137	0.000	0.054	185.977	0.000	0.604	
max	8.948	1.053	0.076	187.102	0.146	2.004	
MMV	3.480	0.035	0.063	186.671	0.032	1.028	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							