

# Menesine ataskaita: 11.2019



	UAB Fortum Klaipeda						sugeneruota: 1.12.2019
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.11	12.887	7.546	9.653	0.511	1.335	0.005	
2.11	11.036	7.566	3.387	0.000	0.803	0.007	
3.11	14.406	7.455	4.688	0.000	1.300	0.023	
4.11	13.330	7.461	4.061	0.000	1.021	0.022	
5.11	11.227	7.404	12.689	0.000	0.474	0.035	
6.11	11.898	7.408	4.226	0.000	0.488	0.344	
7.11	13.371	7.392	11.368	0.000	0.272	0.781	
8.11	11.159	7.574	5.817	0.000	0.173	0.021	
9.11	12.312	7.510	8.116	0.000	0.157	0.024	
10.11	14.537	7.455	7.016	0.000	0.185	0.037	
11.11	12.360	7.525	3.922	0.000	0.210	0.015	
12.11	10.499	7.571	7.189	0.000	0.169	0.019	
13.11	15.037	7.494	7.303	0.124	0.302	0.012	
14.11	15.902	7.439	3.560	0.000	0.447	0.035	
15.11	13.520	7.488	2.599	0.000	0.347	0.027	
16.11	14.981	7.520	6.681	0.000	0.357	0.034	
17.11	16.986	7.491	4.874	0.000	0.436	0.021	
18.11	15.926	7.458	6.020	0.000	0.458	0.028	
19.11	13.995	7.462	5.208	0.000	0.414	0.018	
20.11	12.712	7.537	2.671	0.000	0.340	0.008	
21.11	11.699	7.632	3.694	0.000	0.275	0.004	
22.11	9.512	7.600	3.868	0.000	0.199	0.002	
23.11	9.174	7.566	3.230	0.000	0.233	0.000	
24.11	9.025	7.553	4.439	0.000	0.330	0.000	
25.11	9.403	7.530	8.306	0.005	0.400	0.003	
26.11	9.198	7.551	7.636	0.000	0.585	0.003	
27.11	9.179	7.475	10.476	0.000	0.971	0.006	
28.11	9.373	7.509	11.898	0.000	0.761	0.010	
29.11	9.859	7.487	10.897	0.000	0.633	0.012	
30.11	8.737	7.540	9.720	0.000	0.361	0.006	
min	8.737	7.392	2.599	0.000	0.157	0.000	
max	16.986	7.632	12.689	0.511	1.335	0.781	
MMV	12.110	7.507	6.502	0.021	0.481	0.052	
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down							

# Menesine ataskaita: 11.2019



	UAB Fortum Klaipeda						sugeneruota: 1.12.2019
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.11	0.073	0.322	126.980	0.011	0.222	220565.07	
2.11	0.058	0.240	127.414	0.000	0.252	222148.04	
3.11	0.077	0.348	127.380	0.140	0.267	229660.67	
4.11	0.068	0.396	127.252	0.161	0.148	225014.98	
5.11	0.067	0.390	127.043	0.053	0.312	214483.87	
6.11	0.070	0.269	126.764	0.001	0.228	217465.25	
7.11	0.073	0.316	127.748	0.005	0.178	219426.32	
8.11	0.053	0.253	127.484	0.000	0.220	217594.31	
9.11	0.064	0.280	127.656	0.014	0.224	220895.12	
10.11	0.071	0.344	128.043	0.095	0.230	224183.75	
11.11	0.046	0.193	126.861	0.001	0.265	219518.18	
12.11	0.041	0.146	127.333	0.000	0.188	215902.39	
13.11	0.059	0.190	127.448	0.007	0.229	223523.23	
14.11	0.064	0.267	127.191	0.018	0.255	223427.92	
15.11	0.042	0.147	127.715	0.000	0.245	219010.45	
16.11	0.051	0.181	127.826	0.002	0.213	223820.51	
17.11	0.056	0.270	127.536	0.004	0.205	227498.39	
18.11	0.060	0.302	127.191	0.017	0.269	224821.31	
19.11	0.054	0.206	127.361	0.000	0.257	215447.68	
20.11	0.045	0.158	127.669	0.000	0.201	219773.57	
21.11	0.040	0.135	127.520	0.000	0.222	220137.10	
22.11	0.038	0.172	127.624	0.000	0.266	217827.35	
23.11	0.036	0.149	127.811	0.000	0.253	221695.64	
24.11	0.037	0.143	126.965	0.000	0.217	222040.01	
25.11	0.035	0.098	127.531	0.000	0.223	222574.68	
26.11	0.036	0.112	127.236	0.000	0.199	221806.79	
27.11	0.034	0.114	127.324	0.000	0.190	219366.82	
28.11	0.039	0.170	127.784	0.000	0.235	218020.17	
29.11	0.052	0.159	127.905	0.000	0.174	219636.10	
30.11	0.044	0.139	127.273	0.000	0.133	222915.50	
min	0.034	0.098	126.764	0.000	0.133	214483.87	
max	0.077	0.396	128.043	0.161	0.312	229660.67	
MMV	0.053	0.220	127.429	0.018	0.224	221006.79	
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down							

# Menesine ataskaita: 11.2019



	UAB Fortum Klaipeda			sugeneruota: 1.12.2019		
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	KLAIP_L1 CO_10Min Day_Conc
Diena	°C	mbar	Vol%	mbar	°C	Nm3/h
1.11	51.066	1029.117	5.926	1015.422	1059.062	10.677
2.11	47.399	1009.599	5.926	998.132	1083.924	3.752
3.11	53.054	1006.448	5.702	992.196	1053.872	5.201
4.11	51.221	1001.314	5.799	988.087	1089.815	4.521
5.11	47.802	1001.293	6.127	987.865	1054.572	14.039
6.11	55.130	1003.896	6.169	991.514	1077.428	4.695
7.11	64.423	1015.781	5.964	1002.753	1015.534	12.679
8.11	47.996	1024.001	5.964	1011.139	1031.633	6.377
9.11	50.088	1019.899	5.984	1006.285	1026.074	9.062
10.11	53.392	1021.114	5.763	1007.818	986.101	7.833
11.11	50.209	1024.154	5.837	1011.692	1029.886	4.360
12.11	46.835	1022.832	5.965	1010.614	1005.883	7.987
13.11	53.859	1016.742	5.709	1002.809	985.713	8.142
14.11	55.413	1020.820	5.706	1007.778	1042.436	3.962
15.11	52.041	1029.372	5.912	1017.310	1056.563	2.874
16.11	54.117	1025.378	5.627	1011.960	1021.235	7.416
17.11	56.680	1030.760	5.420	1017.260	1037.872	5.431
18.11	55.242	1027.164	5.628	1013.710	1036.685	6.708
19.11	52.885	1030.286	5.920	1017.102	1022.401	5.778
20.11	50.622	1035.843	6.245	1023.487	1057.800	2.966
21.11	48.988	1035.357	5.916	1023.104	1057.134	4.115
22.11	44.938	1032.668	5.934	1021.644	1037.288	4.306
23.11	44.424	1031.729	5.865	1020.816	1015.024	3.608
24.11	44.082	1031.311	5.880	1019.247	1012.065	4.949
25.11	44.857	1028.657	5.724	1017.072	1005.800	9.332
26.11	44.395	1024.090	5.921	1011.602	989.797	8.475
27.11	44.215	1016.344	5.998	1003.142	990.909	11.473
28.11	44.266	1007.299	6.247	993.209	1010.114	13.268
29.11	45.258	1001.664	6.189	988.232	1027.755	12.215
30.11	43.365	1019.361	6.325	1006.971	970.309	10.714
min	43.365	1001.293	5.420	987.865	970.309	2.874
max	64.423	1035.843	6.325	1023.487	1089.815	14.039
MMV	49.942	1020.811	5.909	1008.000	1029.689	7.230
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down						

# Menesine ataskaita: 11.2019



	UAB Fortum Klaipeda						sugeneruota: 1.12.2019
	KLAIP_L1 SO2_97% Day_Conc	KLAIP_L1 HCL_97% Day_Conc	KLAIP_L1 HF_97% Day_Conc	KLAIP_L1 NOx_97% Day_Conc	KLAIP_L1 TOC_97% Day_Conc	KLAIP_L1 DULKES_97% Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.11	0.639	0.008	0.121	158.725	0.016	0.318	
2.11	0.000	0.012	0.097	159.268	0.000	0.360	
3.11	0.000	0.039	0.129	159.225	0.199	0.381	
4.11	0.000	0.036	0.113	159.065	0.229	0.212	
5.11	0.000	0.059	0.111	158.804	0.076	0.445	
6.11	0.000	0.574	0.117	158.455	0.002	0.326	
7.11	0.000	1.301	0.121	159.685	0.006	0.254	
8.11	0.000	0.035	0.088	159.355	0.000	0.314	
9.11	0.000	0.040	0.106	159.570	0.019	0.320	
10.11	0.000	0.061	0.118	160.053	0.136	0.329	
11.11	0.000	0.024	0.076	158.576	0.002	0.378	
12.11	0.000	0.032	0.068	159.166	0.000	0.269	
13.11	0.155	0.020	0.099	159.310	0.011	0.327	
14.11	0.000	0.059	0.106	158.989	0.026	0.364	
15.11	0.000	0.046	0.070	159.644	0.000	0.349	
16.11	0.000	0.057	0.085	159.782	0.003	0.305	
17.11	0.000	0.036	0.094	159.419	0.006	0.293	
18.11	0.000	0.047	0.100	158.989	0.024	0.384	
19.11	0.000	0.030	0.090	159.202	0.000	0.368	
20.11	0.000	0.013	0.074	159.586	0.000	0.288	
21.11	0.000	0.007	0.067	159.400	0.000	0.318	
22.11	0.000	0.003	0.064	159.530	0.000	0.381	
23.11	0.000	0.001	0.060	159.763	0.000	0.362	
24.11	0.000	0.001	0.062	158.706	0.000	0.310	
25.11	0.007	0.005	0.059	159.414	0.000	0.318	
26.11	0.000	0.005	0.059	159.045	0.000	0.284	
27.11	0.000	0.011	0.057	159.155	0.000	0.271	
28.11	0.000	0.017	0.066	159.730	0.000	0.336	
29.11	0.000	0.020	0.087	159.882	0.000	0.248	
30.11	0.000	0.010	0.073	159.091	0.000	0.190	
min	0.000	0.001	0.057	158.455	0.000	0.190	
max	0.639	1.301	0.129	160.053	0.229	0.445	
MMV	0.027	0.087	0.088	159.287	0.025	0.320	
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down							