

Menesine ataskaita: 12.2015



		UAB Fortum Klaipeda					sugeneruota: 1.01.2016	
		KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena		Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.12		11.933	10.568	9.138	0.045	0.726	0.305	
2.12		11.501	10.897	10.950	0.516	0.584	0.310	
3.12		16.536	10.506	10.633	0.592	0.685	0.354	
4.12		16.634	10.599	10.758	0.029	0.597	0.355	
5.12		18.180	10.370	9.710	2.822	0.742	0.359	
6.12		17.775	10.456	9.506	0.041	0.810	0.325	
7.12		17.278	10.412	8.544	0.071	0.753	0.329	
8.12		12.958	10.895	9.345	0.008	0.580	0.316	
9.12		10.000	10.841	10.811	0.504	0.538	0.304	
10.12		13.932	10.792	10.467	4.589	0.540	0.321	
11.12		11.007	10.851	14.268	0.189	0.587	0.305	
12.12		11.339	10.889	9.507	0.658	0.585	0.307	
13.12		11.907	11.117	9.397	0.803	0.568	0.310	
14.12		9.451	11.074	8.729	0.007	0.545	0.301	
15.12		8.758	11.144	9.579	38.697	0.507	0.311	
16.12		8.168	11.251	9.165	31.176	0.481	0.298	
17.12		9.534	11.077	11.205	16.791	0.488	0.298	
18.12		15.360	10.744	10.162	10.752	0.581	0.315	
19.12		16.482	10.720	8.541	8.253	0.646	0.319	
20.12		17.121	10.776	7.962	11.997	0.587	0.341	
21.12		17.611	10.795	12.609	6.057	0.656	0.347	
22.12	D	136.205	10.795	8.650	14.529	0.553	0.317	
23.12		16.617	10.492	8.317	1.189	0.707	0.321	
24.12		12.603	10.769	8.677	0.209	0.687	0.307	
25.12		14.835	10.551	8.385	0.795	0.832	0.312	
26.12		14.355	10.533	8.479	12.144	0.704	0.312	
27.12		9.000	10.892	8.197	3.715	0.533	0.297	
28.12		9.593	10.727	7.928	2.977	0.557	0.305	
29.12		9.728	10.617	8.446	D 55.350	0.539	0.307	
30.12		10.824	10.468	7.719	7.964	0.568	0.307	
31.12		10.188	10.536	10.144	2.927	0.565	0.307	
min		8.168	10.370	7.719	0.007	0.481	0.297	
max	D	136.205	11.251	14.268	D 55.350	0.832	0.359	
MMV		17.028	10.747	9.545	7.634	0.614	0.317	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down								

Menesine ataskaita: 12.2015



	UAB Fortum Klaipeda sugeneruota: 1.01.2016					
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h
1.12	0.009	0.608	160.332	1.501	0.222	197612.25
2.12	0.010	0.598	156.048	1.321	0.183	198919.20
3.12	0.013	0.689	139.710	1.776	0.425	202354.76
4.12	0.009	0.729	144.304	1.777	0.216	205309.43
5.12	0.008	0.730	139.054	1.883	0.233	205851.76
6.12	0.008	0.699	139.249	1.857	0.162	205541.25
7.12	0.006	0.727	146.878	1.921	0.268	201574.92
8.12	0.009	0.676	158.450	1.472	0.206	197075.57
9.12	0.009	0.577	160.159	1.124	0.228	187350.75
10.12	0.010	0.625	161.792	1.498	0.335	197615.85
11.12	0.005	0.644	162.711	1.417	0.204	192743.37
12.12	0.010	0.606	167.154	1.410	0.291	193157.67
13.12	0.010	0.614	165.259	1.487	0.317	195712.57
14.12	0.008	0.583	165.726	1.239	0.277	190831.62
15.12	0.007	0.566	166.967	1.107	0.355	193462.93
16.12	0.010	0.557	166.671	1.094	0.456	191147.79
17.12	0.011	0.574	162.791	1.166	0.260	191779.18
18.12	0.010	0.659	158.526	1.702	0.359	201745.18
19.12	0.009	0.691	157.531	1.832	0.282	203963.12
20.12	0.009	0.697	161.501	1.838	0.256	205772.17
21.12	0.011	0.696	153.198	1.942	0.284	206008.35
22.12	0.009	0.631	154.855	1.705	0.305	199765.26
23.12	0.010	0.670	153.469	1.965	0.274	202120.56
24.12	0.012	0.665	155.483	1.544	0.283	197494.79
25.12	0.017	0.660	143.311	1.619	0.231	200079.87
26.12	0.010	0.660	143.901	1.680	0.231	199118.73
27.12	0.008	0.623	151.899	1.240	0.336	192924.75
28.12	0.010	0.636	155.476	1.207	0.334	190157.45
29.12	0.012	0.643	158.157	1.175	0.197	193187.07
30.12	0.014	0.657	152.327	1.298	0.362	194668.73
31.12	0.016	0.639	154.760	1.379	0.383	194728.37
min	0.005	0.557	139.054	1.094	0.162	187350.75
max	0.017	0.730	167.154	1.965	0.456	206008.35
MMV	0.010	0.646	155.405	1.522	0.282	197734.78
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						

Menesine ataskaita: 12.2015



UAB Fortum Klaipeda		sugeneruota: 1.01.2016				
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	
Diena	°C	mbar	Vol%	mbar	°C	
1.12	48.894	1000.526	7.080	998.815	972.662	
2.12	49.008	1016.452	7.134	1014.404	958.503	
3.12	57.387	1021.760	6.932	1019.709	962.654	
4.12	57.272	1016.974	6.867	1015.454	949.652	
5.12	59.377	1014.496	6.800	1013.085	945.914	
6.12	58.704	1009.476	6.775	1008.074	952.940	
7.12	58.289	1019.927	6.837	1018.567	945.230	
8.12	51.432	1032.849	7.047	1032.281	947.633	
9.12	45.641	1025.310	7.267	1024.313	970.467	
10.12	53.252	1025.610	7.023	1023.753	978.208	
11.12	46.686	1013.191	7.110	1012.330	971.977	
12.12	47.529	1005.768	7.089	1004.636	984.090	
13.12	48.353	1007.535	6.989	1006.501	969.398	
14.12	44.404	1019.767	7.216	1018.781	996.440	
15.12	42.976	1026.149	7.112	1025.262	992.196	
16.12	41.708	1029.165	7.158	1027.512	997.861	
17.12	44.516	1017.397	7.113	1016.520	989.651	
18.12	55.010	1012.525	6.789	1009.710	990.042	
19.12	56.765	1013.723	6.679	1011.811	984.857	
20.12	57.635	1015.884	6.649	1013.817	1001.627	
21.12	58.335	1011.504	6.607	1010.051	994.225	
22.12	54.528	1005.948	6.700	1004.874	982.705	
23.12	56.919	1009.481	6.651	1007.877	981.840	
24.12	50.201	1020.513	6.990	1019.326	983.977	
25.12	54.484	1015.430	6.881	1014.101	967.251	
26.12	53.318	1013.292	6.961	1012.257	972.184	
27.12	43.652	1018.968	7.276	1019.468	972.057	
28.12	44.861	1025.180	7.387	1025.863	981.178	
29.12	45.931	1039.321	7.445	1040.694	974.888	
30.12	48.206	1040.657	7.421	1041.080	984.789	
31.12	47.037	1031.769	7.513	1032.809	970.833	
min	41.708	1000.526	6.607	998.815	945.230	
max	59.377	1040.657	7.513	1041.080	1001.627	
MMV	51.042	1018.598	7.016	1017.541	975.095	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						