

Menesine ataskaita: 12.2018



| | UAB Fortum Klaipeda | | | | | | sugeneruota: 1.01.2019 |
|--|-----------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|
| | KLAIP_L1 H2O Day_Conc | KLAIP_L1 CO2 Day_Conc | KLAIP_L1 CO Day_Conc | KLAIP_L1 SO2 Day_Conc | KLAIP_L1 NH3 Day_Conc | KLAIP_L1 HCL Day_Conc | |
| Diena | Vol% | Vol% | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | |
| 1.12 | 11.449 | 9.369 | 5.340 | 6.451 | 0.475 | 0.366 | |
| 2.12 | 10.462 | 9.313 | 4.796 | 1.537 | 0.508 | 0.330 | |
| 3.12 | 11.445 | 9.370 | 5.125 | 4.045 | 0.592 | 0.248 | |
| 4.12 | 9.363 | 9.624 | 10.244 | 2.565 | 0.602 | 0.268 | |
| 5.12 | 9.548 | 9.605 | 5.833 | 2.874 | 0.551 | 0.264 | |
| 6.12 | 11.099 | 9.409 | 3.412 | 0.883 | 0.697 | 0.288 | |
| 7.12 | 9.397 | 9.441 | 4.069 | 6.151 | 0.527 | 0.282 | |
| 8.12 | 10.468 | 9.537 | 4.087 | 2.745 | 0.632 | 0.277 | |
| 9.12 | 12.027 | 9.367 | 2.817 | 4.310 | 0.619 | 0.231 | |
| 10.12 | 11.892 | 9.386 | 3.133 | 4.308 | 0.610 | 0.269 | |
| 11.12 | 10.103 | 9.424 | 3.447 | 4.357 | 0.579 | 0.286 | |
| 12.12 | 9.337 | 9.286 | 6.387 | 2.422 | 0.503 | 0.259 | |
| 13.12 | 8.765 | 9.375 | 5.811 | 1.533 | 0.508 | 0.225 | |
| 14.12 | 8.917 | 9.373 | 6.543 | 3.568 | 0.499 | 0.200 | |
| 15.12 | 8.900 | 9.347 | 4.609 | 2.959 | 0.490 | 0.229 | |
| 16.12 | 9.186 | 9.360 | 5.869 | 5.237 | 0.480 | 0.256 | |
| 17.12 | 9.271 | 9.414 | 3.394 | 9.954 | 0.471 | 0.226 | |
| 18.12 | 9.264 | 9.378 | 6.654 | 13.760 | 0.467 | 0.236 | |
| 19.12 | 9.171 | 9.351 | 5.369 | 12.275 | 0.455 | 0.248 | |
| 20.12 | 9.648 | 9.359 | 7.427 | 12.033 | 0.474 | 0.290 | |
| 21.12 | 10.142 | 9.374 | 5.288 | 10.589 | 0.491 | 0.279 | |
| 22.12 | 9.184 | 9.418 | 3.564 | 15.963 | 0.479 | 0.234 | |
| 23.12 | 10.211 | 9.366 | 4.082 | 16.546 | 0.474 | 0.323 | |
| 24.12 | 9.060 | 9.469 | 2.979 | 7.306 | 0.483 | 0.330 | |
| 25.12 | 12.012 | 9.420 | 2.730 | 4.278 | 0.540 | 0.260 | |
| 26.12 | 12.734 | 9.382 | 2.552 | 2.846 | 0.600 | 0.224 | |
| 27.12 | 12.013 | 9.400 | 2.948 | 4.405 | 0.568 | 0.249 | |
| 28.12 | 12.426 | 9.444 | 2.960 | 2.888 | 0.573 | 0.266 | |
| 29.12 | 11.833 | 9.463 | 3.092 | 5.716 | 0.551 | 0.272 | |
| 30.12 | 12.635 | 9.509 | 2.737 | 9.426 | 0.549 | 0.358 | |
| 31.12 | 9.385 | 9.481 | 2.526 | 9.367 | 0.491 | 0.252 | |
| min | 8.765 | 9.286 | 2.526 | 0.883 | 0.455 | 0.200 | |
| max | 12.734 | 9.624 | 10.244 | 16.546 | 0.697 | 0.366 | |
| MMV | 10.365 | 9.413 | 4.512 | 6.234 | 0.533 | 0.269 | |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | | |

Menesine ataskaita: 12.2018



| | UAB Fortum Klaipeda sugeneruota: 1.01.2019 | | | | | |
|--|--|-----------------------------|-----------------------------|-----------------------------|--------------------------------|---------------------------------|
| | KLAIP_L1 HF Day_Conc | KLAIP_L1 CH4 Day_Conc | KLAIP_L1 NOx Day_Conc | KLAIP_L1 TOC Day_Conc | KLAIP_L1 DULKES Day_Conc | KLAIP_L1 SRAUTAS Day_Conc |
| Diena | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | Nm3/h |
| 1.12 | 0.049 | 0.000 | 127.357 | 0.256 | 0.518 | 196971.18 |
| 2.12 | 0.049 | 0.000 | 127.339 | 0.247 | 0.549 | 196661.75 |
| 3.12 | 0.051 | 0.000 | 127.007 | 0.293 | 0.550 | 199499.82 |
| 4.12 | 0.053 | 0.012 | 127.437 | 0.439 | 0.590 | 184345.51 |
| 5.12 | 0.053 | 0.007 | 126.842 | 0.366 | 0.578 | 188552.31 |
| 6.12 | 0.052 | 0.000 | 127.766 | 0.343 | 0.592 | 190978.51 |
| 7.12 | 0.049 | 0.001 | 127.571 | 0.291 | 0.550 | 191612.87 |
| 8.12 | 0.053 | 0.001 | 127.141 | 0.245 | 0.604 | 186195.35 |
| 9.12 | 0.051 | 0.000 | 126.698 | 0.297 | 0.581 | 196637.68 |
| 10.12 | 0.052 | 0.000 | 126.288 | 0.289 | 0.539 | 195456.73 |
| 11.12 | 0.050 | 0.000 | 126.726 | 0.172 | 0.464 | 190732.98 |
| 12.12 | 0.048 | 0.000 | 126.821 | 0.223 | 0.558 | 195185.35 |
| 13.12 | 0.049 | 0.000 | 126.982 | 0.236 | 0.586 | 194979.79 |
| 14.12 | 0.048 | 0.000 | 126.932 | 0.219 | 0.532 | 195896.20 |
| 15.12 | 0.048 | 0.000 | 127.049 | 0.246 | 0.559 | 196792.06 |
| 16.12 | 0.048 | 0.000 | 127.333 | 0.245 | 0.506 | 196736.06 |
| 17.12 | 0.048 | 0.000 | 126.757 | 0.283 | 0.455 | 196379.67 |
| 18.12 | 0.048 | 0.000 | 126.863 | 0.257 | 0.569 | 195516.04 |
| 19.12 | 0.048 | 0.000 | 127.164 | 0.216 | 0.554 | 196492.20 |
| 20.12 | 0.048 | 0.000 | 127.189 | 0.253 | 0.522 | 196905.64 |
| 21.12 | 0.048 | 0.000 | 127.185 | 0.288 | 0.514 | 198173.89 |
| 22.12 | 0.049 | 0.000 | 127.420 | 0.302 | 0.596 | 196428.06 |
| 23.12 | 0.050 | 0.000 | 126.956 | 0.261 | 0.531 | 198901.54 |
| 24.12 | 0.049 | 0.000 | 127.040 | 0.242 | 0.560 | 191400.25 |
| 25.12 | 0.054 | 0.000 | 127.470 | 0.212 | 0.516 | 196267.79 |
| 26.12 | 0.053 | 0.000 | 127.146 | 0.252 | 0.522 | 196426.23 |
| 27.12 | 0.052 | 0.000 | 127.007 | 0.244 | 0.499 | 194293.14 |
| 28.12 | 0.053 | 0.000 | 127.499 | 0.236 | 0.613 | 197114.25 |
| 29.12 | 0.052 | 0.000 | 127.434 | 0.228 | 0.614 | 197366.26 |
| 30.12 | 0.054 | 0.000 | 127.703 | 0.258 | 0.648 | 199620.82 |
| 31.12 | 0.050 | 0.000 | 127.099 | 0.270 | 0.513 | 194112.04 |
| min | 0.048 | 0.000 | 126.288 | 0.172 | 0.455 | 184345.51 |
| max | 0.054 | 0.012 | 127.766 | 0.439 | 0.648 | 199620.82 |
| MMV | 0.050 | 0.001 | 127.137 | 0.265 | 0.551 | 194923.67 |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | |

Menesine ataskaita: 12.2018



| | UAB Fortum Klaipeda | | | sugeneruota: 1.01.2019 | | |
|--|----------------------------------|----------------------------------|----------------------------|----------------------------------|----------------------------------|----------------------------------|
| | KLAIP_L1 Kamino_T Day_Conc | KLAIP_L1 Kamino_P Day_Conc | KLAIP_L1 O2 Day_Conc | KLAIP_L1 Atmosf_P Day_Conc | KLAIP_L1 Degimo_T Day_Conc | KLAIP_L1 CO_10Min Day_Conc |
| Diena | °C | mbar | Vol% | mbar | °C | Nm3/h |
| 1.12 | 48.435 | 1025.553 | 6.627 | 1017.637 | 1054.522 | 5.931 |
| 2.12 | 46.722 | 1017.854 | 6.783 | 1007.781 | 1056.767 | 5.363 |
| 3.12 | 48.083 | 1009.672 | 6.695 | 998.021 | 1059.882 | 5.725 |
| 4.12 | 44.247 | 1012.896 | 7.764 | 1000.423 | 1057.005 | 11.588 |
| 5.12 | 45.054 | 1026.463 | 7.574 | 1015.262 | 1066.410 | 6.546 |
| 6.12 | 47.869 | 1028.616 | 7.168 | 1018.803 | 1084.619 | 3.801 |
| 7.12 | 44.809 | 1012.473 | 7.029 | 1002.920 | 1085.776 | 4.520 |
| 8.12 | 46.526 | 1003.850 | 7.534 | 992.597 | 1092.030 | 4.604 |
| 9.12 | 49.113 | 998.483 | 6.705 | 988.011 | 1088.765 | 3.110 |
| 10.12 | 49.190 | 1004.551 | 6.869 | 993.624 | 1111.987 | 3.479 |
| 11.12 | 46.136 | 1017.451 | 7.050 | 1008.070 | 1088.883 | 3.817 |
| 12.12 | 44.963 | 1030.548 | 6.713 | 1021.265 | 1061.339 | 7.090 |
| 13.12 | 43.890 | 1033.802 | 6.945 | 1024.329 | 1039.121 | 6.486 |
| 14.12 | 44.264 | 1037.477 | 6.890 | 1027.526 | 1035.898 | 7.219 |
| 15.12 | 44.256 | 1040.385 | 6.753 | 1030.359 | 1060.887 | 5.126 |
| 16.12 | 44.672 | 1032.664 | 6.693 | 1022.646 | 1049.583 | 6.505 |
| 17.12 | 44.910 | 1031.123 | 6.876 | 1020.912 | 1074.717 | 3.769 |
| 18.12 | 44.978 | 1036.555 | 6.874 | 1025.680 | 1069.171 | 7.338 |
| 19.12 | 44.730 | 1034.995 | 6.775 | 1025.118 | 1066.181 | 5.923 |
| 20.12 | 45.507 | 1028.608 | 6.875 | 1019.207 | 1049.256 | 8.276 |
| 21.12 | 46.262 | 1020.253 | 6.847 | 1010.719 | 1072.672 | 5.861 |
| 22.12 | 44.424 | 1010.348 | 7.033 | 1000.214 | 1068.596 | 3.956 |
| 23.12 | 46.059 | 1019.593 | 6.760 | 1008.388 | 1079.951 | 4.546 |
| 24.12 | 44.365 | 1021.472 | 7.148 | 1011.611 | 1087.395 | 3.323 |
| 25.12 | 49.375 | 1025.448 | 7.009 | 1013.766 | 1095.158 | 3.027 |
| 26.12 | 50.568 | 1023.352 | 7.114 | 1011.485 | 1091.535 | 2.837 |
| 27.12 | 49.507 | 1022.065 | 7.089 | 1010.558 | 1094.257 | 3.282 |
| 28.12 | 49.898 | 1022.734 | 7.157 | 1011.868 | 1097.568 | 3.272 |
| 29.12 | 49.022 | 1027.133 | 7.063 | 1016.270 | 1100.151 | 3.464 |
| 30.12 | 50.244 | 1023.025 | 7.115 | 1012.336 | 1081.182 | 3.036 |
| 31.12 | 44.815 | 1030.745 | 7.211 | 1021.268 | 1094.627 | 2.828 |
| min | 43.890 | 998.483 | 6.627 | 988.011 | 1035.898 | 2.828 |
| max | 50.568 | 1040.385 | 7.764 | 1030.359 | 1111.987 | 11.588 |
| MMV | 46.545 | 1022.909 | 6.992 | 1012.539 | 1074.706 | 5.022 |
| - = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down | | | | | | |

Menesine ataskaita: 12.2018



| | UAB Fortum Klaipeda | | | | | | sugeneruota: 1.01.2019 |
|--|---------------------------------|---------------------------------|--------------------------------|---------------------------------|---------------------------------|------------------------------------|------------------------|
| | KLAIP_L1 SO2_97% Day_Conc | KLAIP_L1 HCL_97% Day_Conc | KLAIP_L1 HF_97% Day_Conc | KLAIP_L1 NOx_97% Day_Conc | KLAIP_L1 TOC_97% Day_Conc | KLAIP_L1 DULKES_97% Day_Conc | |
| Diena | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | mg/m3iN. | |
| 1.12 | 8.064 | 0.610 | 0.082 | 159.196 | 0.366 | 0.741 | |
| 2.12 | 1.921 | 0.550 | 0.082 | 159.173 | 0.352 | 0.784 | |
| 3.12 | 5.057 | 0.413 | 0.084 | 158.758 | 0.418 | 0.786 | |
| 4.12 | 3.207 | 0.447 | 0.089 | 159.297 | 0.627 | 0.844 | |
| 5.12 | 3.593 | 0.439 | 0.088 | 158.553 | 0.523 | 0.825 | |
| 6.12 | 1.104 | 0.480 | 0.086 | 159.707 | 0.490 | 0.845 | |
| 7.12 | 7.689 | 0.469 | 0.082 | 159.463 | 0.416 | 0.786 | |
| 8.12 | 3.432 | 0.462 | 0.089 | 158.926 | 0.351 | 0.863 | |
| 9.12 | 5.387 | 0.386 | 0.086 | 158.372 | 0.424 | 0.830 | |
| 10.12 | 5.385 | 0.448 | 0.087 | 157.860 | 0.413 | 0.770 | |
| 11.12 | 5.446 | 0.476 | 0.084 | 158.408 | 0.246 | 0.663 | |
| 12.12 | 3.028 | 0.432 | 0.081 | 158.526 | 0.319 | 0.797 | |
| 13.12 | 1.916 | 0.375 | 0.081 | 158.728 | 0.337 | 0.837 | |
| 14.12 | 4.461 | 0.334 | 0.080 | 158.665 | 0.313 | 0.761 | |
| 15.12 | 3.699 | 0.382 | 0.080 | 158.811 | 0.351 | 0.799 | |
| 16.12 | 6.546 | 0.427 | 0.080 | 159.167 | 0.350 | 0.722 | |
| 17.12 | 12.442 | 0.376 | 0.080 | 158.446 | 0.404 | 0.650 | |
| 18.12 | 17.200 | 0.394 | 0.080 | 158.579 | 0.367 | 0.812 | |
| 19.12 | 15.344 | 0.413 | 0.079 | 158.954 | 0.308 | 0.791 | |
| 20.12 | 15.042 | 0.484 | 0.081 | 158.986 | 0.362 | 0.745 | |
| 21.12 | 13.236 | 0.465 | 0.081 | 158.982 | 0.412 | 0.734 | |
| 22.12 | 19.954 | 0.390 | 0.082 | 159.275 | 0.431 | 0.852 | |
| 23.12 | 20.682 | 0.539 | 0.084 | 158.696 | 0.372 | 0.758 | |
| 24.12 | 9.133 | 0.551 | 0.082 | 158.800 | 0.346 | 0.799 | |
| 25.12 | 5.347 | 0.433 | 0.089 | 159.337 | 0.303 | 0.737 | |
| 26.12 | 3.557 | 0.373 | 0.089 | 158.933 | 0.360 | 0.746 | |
| 27.12 | 5.507 | 0.415 | 0.086 | 158.759 | 0.348 | 0.713 | |
| 28.12 | 3.610 | 0.444 | 0.088 | 159.373 | 0.338 | 0.876 | |
| 29.12 | 7.145 | 0.453 | 0.086 | 159.292 | 0.325 | 0.878 | |
| 30.12 | 11.782 | 0.596 | 0.090 | 159.628 | 0.369 | 0.925 | |
| 31.12 | 11.709 | 0.420 | 0.084 | 158.873 | 0.385 | 0.733 | |
| min | 1.104 | 0.334 | 0.079 | 157.860 | 0.246 | 0.650 | |
| max | 20.682 | 0.610 | 0.090 | 159.707 | 0.627 | 0.925 | |
| MMV | 7.793 | 0.448 | 0.084 | 158.921 | 0.378 | 0.787 | |
| - = Out of op < = <2/3 M = Maintenance D = >DLV X = no daily classing S = Fault A = Start-up/shut down N = No Data | | | | | | | |