



Menesine ataskaita: 12/2025

[illegible]



Menesine ataskaita: 12/2025

	UAB Gren Klaipeda			sugenerouta: 12/4/2025		
	Klaip L1 HF Day Conc	Klaip L1 CH ₄ Day Conc	Klaip L1 NO _x Day Conc	Klaip L1 TOC Day Conc	Klaip L1 Dulkes Day Conc	Klaip L1 Srutas Day Conc
Diena	mg/Nm³	mg/Nm³	mg/Nm³	mg/Nm³	mg/Nm³	Nm³/h
01/12/	0.07	0.00	132.15	0.32	0.05	223468.23
02/12/	0.08	0.00	132.46	0.31	0.05	222939.43
03/12/	0.08	0.00	132.41	0.29	0.05	223952.50
min	0.07	0.00	132.15	0.29	0.05	222939.43
max	0.08	0.00	132.46	0.32	0.05	223952.50
MMV	0.08	0.00	132.34	0.31	0.05	223453.39

- = out of operation = < 2/3 X = no daily classing N = No Data
M = Maintenance F = Fault A = Startup / shutdown
G = > LV D = > DLV R = Replacement



Mensina ataskaita: 12/2025

[illegible]



Menesine ataskaita: 12/2025

	UAB Gren Klaipeda						sugenerouta: 12/4/2025
	Klaip L1 SO ₂ 97% Day Conc	Klaip L1 HCl 97% Day Conc	Klaip L1 HF 97% Day Conc	Klaip L1 NOx 97% Day Conc	Klaip L1 TOC 97% Day Conc	Klaip L1 Dulkes 97% Day Conc	
Diena	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	
01/12/	D 9.72	0.17	0.11	144.59	0.39	0.06	
02/12/	D 6.62	0.17	0.11	145.67	0.40	0.07	
03/12/	D 10.62	0.17	0.11	145.40	0.37	0.06	