



Menesine ataskaita: 04/2026

	UAB Gren Klaipeda			sugenerouta: 4/30/2026		
	Klaip L1 H ₂ O Day Conc	Klaip L1 CO ₂ Day Conc	Klaip L1 CO Day Conc	Klaip L1 SO ₂ Day Conc	Klaip L1 NH ₃ Day Conc	Klaip L1 HCl Day Conc
Diena	Vol%	Vol%	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³
01/04/	10.86	7.75	12.33	7.59	1.21	0.12
02/04/	11.03	7.83	7.28	5.15	1.20	0.11
03/04/	11.80	7.75	7.95	4.32	1.19	0.11
04/04/	11.02	7.79	5.62	5.67	1.19	0.11
05/04/	12.54	7.80	2.41	2.96	1.19	0.11
06/04/	11.20	7.76	2.52	2.67	1.17	0.11
07/04/	11.18	7.75	2.49	2.63	1.18	0.11
08/04/	10.10	7.77	2.26	2.28	1.17	0.11
09/04/	10.41	7.79	3.85	2.71	1.16	0.11
10/04/	10.27	7.79	2.67	2.97	1.17	0.11
11/04/	11.69	7.77	1.94	3.10	1.17	0.11
12/04/	10.75	7.77	1.70	2.77	1.16	0.11
13/04/	13.06	7.77	2.36	2.67	1.19	0.11
14/04/	14.52	7.78	2.35	3.41	1.20	0.12
15/04/	13.00	7.85	1.29	2.87	1.19	0.11
16/04/	10.49	7.78	4.60	2.49	1.17	0.11
17/04/	10.57	7.76	13.06	2.81	1.20	0.11
18/04/	13.15	7.74	0.96	2.90	1.25	0.11
19/04/	15.19	7.69	3.70	2.98	1.28	0.12
20/04/	12.96	7.72	3.07	2.69	1.23	0.11
21/04/	12.68	7.74	3.83	2.68	1.29	0.11
22/04/	10.63	7.76	2.92	2.68	1.22	0.11
23/04/	11.31	7.71	4.30	2.84	1.22	0.11
24/04/	13.63	7.74	4.27	3.00	1.38	0.12
25/04/	12.09	7.66	4.13	3.00	1.31	0.11
26/04/	11.16	7.73	4.58	2.53	1.31	0.11
27/04/	10.84	7.80	3.55	2.44	1.24	0.11
28/04/	10.34	7.83	3.95	2.52	1.20	0.11
29/04/	10.31	7.80	3.67	2.63	1.19	0.11
min	10.10	7.66	0.96	2.28	1.16	0.11
max	15.19	7.85	13.06	7.59	1.38	0.12
MMV	11.68	7.76	4.13	3.17	1.21	0.11
- = out of operation = < 2/3 X = no daily classing N = No Data M = Maintenance F = Fault A = Startup / shutdown G = > LV D = > DLV R = Replacement						



Menesine ataskaita: 04/2026

	UAB Gren Klaipeda				sugenerouta: 4/30/2026	
	Klaip L1 HF Day Conc	Klaip L1 CH ₄ Day Conc	Klaip L1 NO _x Day Conc	Klaip L1 TOC Day Conc	Klaip L1 Dulkes Day Conc	Klaip L1 Srutas Day Conc
Diena	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Nm ³ /h
01/04/	0.08	0.00	130.46	0.63	0.03	220307.81
02/04/	0.08	0.00	132.23	0.39	0.04	225048.01
03/04/	0.08	0.00	131.75	0.38	0.04	225702.94
04/04/	0.08	0.00	132.49	0.47	0.04	224414.07
05/04/	0.07	0.00	132.70	0.54	0.05	225090.98
06/04/	0.07	0.00	132.14	0.55	0.04	224344.78
07/04/	0.07	0.00	132.56	0.57	0.04	223321.47
08/04/	0.07	0.00	132.20	0.52	0.03	222005.98
09/04/	0.07	0.00	131.79	0.47	0.04	223349.63
10/04/	0.07	0.00	131.47	0.43	0.03	225281.89
11/04/	0.07	0.00	132.63	0.37	0.06	226440.27
12/04/	0.07	0.00	132.51	0.41	0.02	224469.62
13/04/	0.07	0.00	132.84	0.47	0.06	226142.58
14/04/	0.08	0.00	133.08	0.54	0.04	224443.12
15/04/	0.07	0.00	133.10	0.45	0.02	225526.15
16/04/	0.07	0.00	132.30	0.28	0.04	226080.18
17/04/	0.07	0.12	131.18	0.33	0.03	223527.09
18/04/	0.08	0.00	133.29	0.34	0.03	226239.49
19/04/	0.08	0.00	133.59	0.42	0.05	228586.53
20/04/	0.07	0.00	132.59	0.31	0.05	227288.68
21/04/	0.07	0.00	132.69	0.36	0.04	225118.89
22/04/	0.07	0.00	132.32	0.31	0.04	223164.07
23/04/	0.07	0.00	132.39	0.41	0.03	226062.73
24/04/	0.08	0.00	133.05	0.40	0.03	228374.99
25/04/	0.07	0.00	132.54	0.27	0.04	227842.24
26/04/	0.08	0.00	132.58	0.33	0.02	226543.83
27/04/	0.07	0.00	132.15	0.32	0.05	226968.85
28/04/	0.07	0.00	132.08	0.36	0.03	225282.09
29/04/	0.08	0.00	132.27	0.43	0.02	223955.77
min	0.07	0.00	130.46	0.27	0.02	220307.81
max	0.08	0.12	133.59	0.63	0.06	228586.53
MMV	0.07	0.00	132.38	0.41	0.04	225204.30
- = out of operation = < 2/3 X = no daily classing N = No Data M = Maintenance F = Fault A = Startup / shutdown G = > LV D = > DLV R = Replacement						



Mensina ataskaita: 04/2026

	UAB Gren Klaipeda			sugenerouta: 4/30/2026		
	Klaip L1 Kamino T Day Conc	Klaip L1 Kamino P Day Conc	Klaip L1 O ₂ Day Conc	Klaip L1 Atmosf P Day Conc	Klaip L1 Degimo T Day Conc	Klaip L1 CO 10 Day Conc
Diena	°C	mbar	Vol%	mbar	°C	mg/Nm ³
01/04/	44.76	1042.03	6.56	1021.04	1053.02	13.86
02/04/	44.90	1036.50	6.14	1014.42	1059.65	8.10
03/04/	46.10	1030.94	6.14	1009.21	1038.27	8.82
04/04/	44.76	1028.00	6.14	1005.85	1046.20	6.25
05/04/	47.09	1030.54	5.98	1007.60	1064.73	2.69
06/04/	45.19	1025.75	6.07	1004.43	1079.03	2.80
07/04/	45.23	1033.15	6.07	1011.40	1066.31	2.78
08/04/	43.43	1043.38	6.14	1020.97	1058.01	2.51
09/04/	43.98	1043.64	6.04	1022.58	1105.92	4.25
10/04/	43.70	1042.41	5.98	1019.99	1105.52	2.96
11/04/	46.10	1041.01	5.89	1017.81	1110.25	2.15
12/04/	44.54	1043.54	6.04	1019.98	1090.08	1.88
13/04/	47.91	1046.82	5.80	1024.09	1080.96	2.62
14/04/	50.24	1046.95	5.76	1023.53	1075.02	2.61
15/04/	47.94	1042.70	5.91	1020.03	1087.66	1.45
16/04/	44.06	1037.97	6.09	1017.27	1041.47	5.14
17/04/	44.24	1040.46	6.11	1017.72	1023.33	14.48
18/04/	48.27	1042.31	5.94	1018.96	1051.45	1.07
19/04/	50.93	1038.86	5.82	1016.17	1034.62	4.12
20/04/	48.01	1040.69	5.97	1019.11	1030.71	3.41
21/04/	47.33	1042.08	6.01	1019.80	1014.85	4.23
22/04/	44.29	1037.68	6.13	1015.15	1036.95	3.24
23/04/	45.30	1033.48	6.05	1011.35	1033.76	4.79
24/04/	48.68	1031.83	5.91	1008.91	1036.18	4.75
25/04/	46.20	1022.56	5.98	1001.14	1053.71	4.59
26/04/	45.01	1031.73	6.03	1010.32	1047.71	5.09
27/04/	44.75	1040.07	6.05	1017.53	1065.81	3.95
28/04/	43.90	1043.73	6.10	1021.40	1055.97	4.40
29/04/	43.81	1046.98	6.12	1025.03	1074.08	4.08
min	43.43	1022.56	5.76	1001.14	1014.85	1.07
max	50.93	1046.98	6.56	1025.03	1110.25	14.48
MMV	45.88	1038.20	6.03	1015.96	1059.35	4.59
- = out of operation = < 2/3 X = no daily classing N = No Data M = Maintenance F = Fault A = Startup / shutdown G = > LV D = > DLV R = Replacement						



Menesine ataskaita: 04/2026

	UAB Gren Klaipeda sugenerouta: 4/30/2026					
	Klaip L1 SO ₂ 97% Day Conc	Klaip L1 HCl 97% Day Conc	Klaip L1 HF 97% Day Conc	Klaip L1 NO _x 97% Day Conc	Klaip L1 TOC 97% Day Conc	Klaip L1 Dulkes 97% Day Conc
Diena	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³
01/04/	D 14.94	0.17	0.12	145.36	0.80	0.04
02/04/	D 5.75	0.17	0.11	147.05	0.49	0.05
03/04/	4.76	0.17	0.11	145.25	0.48	0.05
04/04/	D 6.32	0.17	0.11	147.35	0.60	0.06
05/04/	3.23	0.17	0.11	145.06	0.68	0.06
06/04/	2.97	0.17	0.11	146.67	0.69	0.06
07/04/	2.91	0.17	0.11	147.17	0.73	0.05
08/04/	2.57	0.17	0.11	148.56	0.67	0.04
09/04/	3.03	0.17	0.11	147.59	0.60	0.05
10/04/	3.33	0.17	0.11	147.45	0.55	0.04
11/04/	3.42	0.17	0.11	146.39	0.46	0.07
12/04/	3.09	0.17	0.11	147.83	0.52	0.02
13/04/	2.90	0.16	0.11	144.31	0.58	0.07
14/04/	3.63	0.16	0.11	142.18	0.65	0.05
15/04/	3.12	0.17	0.11	144.72	0.56	0.03
16/04/	2.79	0.17	0.11	148.03	0.36	0.05
17/04/	3.15	0.17	0.11	146.62	0.46	0.04
18/04/	3.14	0.17	0.11	144.68	0.43	0.03
19/04/	3.15	0.16	0.11	141.61	0.51	0.06
20/04/	2.92	0.17	0.11	144.27	0.39	0.06
21/04/	2.91	0.17	0.11	144.82	0.44	0.05
22/04/	2.99	0.17	0.11	147.82	0.39	0.05
23/04/	3.14	0.17	0.11	146.78	0.52	0.04
24/04/	3.22	0.17	0.11	143.62	0.49	0.03
25/04/	3.28	0.17	0.11	145.63	0.33	0.05
26/04/	2.81	0.17	0.11	147.22	0.42	0.02
27/04/	2.71	0.17	0.11	147.28	0.40	0.07
28/04/	2.82	0.17	0.11	148.02	0.46	0.04
29/04/	2.95	0.17	0.11	148.30	0.55	0.03
min	2.57	0.16	0.11	141.61	0.33	0.02
max	14.94	0.17	0.12	148.56	0.80	0.07
MMV	3.72	0.17	0.11	146.12	0.52	0.05
- = out of operation = < 2/3 X = no daily classing N = No Data M = Maintenance F = Fault A = Startup / shutdown G = > LV D = > DLV R = Replacement						